■ Data Dictionary Codebook

#	Variable / Field Name	Field Label Field Note	Field Attributes (Field Type, Validation, Choices, Calculations, etc.)
Instrum	ent: Patient Information	n (patient_information)	
1	[subject_id]	Patient ID	text
2	[pat_bi1]	Section Header: I. Patient Information 1. Enrollment Date mm-dd-yyyy	text (date_mdy) Custom alignment: RV Field Annotation: @FUTUREDATE
3	[pat_bi2]	2. Orientation date (Education about the protocol) mm-dd-yyyy	text (date_mdy) Custom alignment: RV Field Annotation: @FUTUREDATE
4	[pat_bi3]	3. Date of IPP review with provider	text (date_mdy) Custom alignment: RV
5	[pat_bi4]	4. Method of IPP review	radio 1 In-person 2 phone call from provider 3 via letter in myCHART or other EHR Custom alignment: RV
6	[pat_bi5]	5. Date of Birth	text (date_mdy) Custom alignment: RV
7	[pat_bi6]	6. Sex	radio 1 Female 2 Male 3 Intersex 4 None of these describe me 5 Prefer not to answer Custom alignment: RV
8	[pat_bi6oth] Show the field ONLY if: [pat_bi6] = '4'	Sex- please describe:	text Custom alignment: RV
9	[pat_bi7]	7. Race	radio 1 American Indian or Alaska Native 2 Asian 3 Native Hawaiian or Other Pacific Islander 4 Black or African American 5 White 6 More than one race 7 Unknown 8 Prefer not to answer Custom alignment: RV

	10	[nat hig]	8. Ethnicity	radio
	10	[pat_bi8]	o. Edifficity	1 Hispanic or Latino
				2 Not Hispanic or Latino
				3 Unknown
				4 Prefer not to answer
				4 Freier not to answer
				Custom alignment: RV
	11	[pat_bi9]	9. Genotype:	radio
				1 SS
				2 SC
				3 SB+
				4 SBO
				5 Other
				Custom alignment: RV
	12	[pat_bi9oth]	Other, please specify	text
		Show the field ONLY if:		Custom alignment: RV
		[pat_bi9] = '5'		
	13	[pat_bi10]	10. Registry Subject ID - If participant is not enrolled in the	text
	1.4	Frank based 3	registry, please ask them about enrolling: Section Header: II. Patient Pain Plan Log	Custom alignment: RV
	14	[pat_bii11]	11. Date IPP created	text (date_mdy) Custom alignment: RV
			mm-dd-yyyy	Field Annotation: @FUTUREDATE
	15	[pat_bii12]	12. Date IPP revised after enrollment, if applicable	text (date_mdy)
			(patients already had pain plans before enrollment) mm-dd-yyyy	Custom alignment: RV
	16	[pat_bii13]	13. Check the components of the plan (SELECT ALL THAT	checkbox
			APPLY)	1 pat_bii131 Genotype
				2 pat_bii132 Pain Plan
				3 pat_bii133 Name of hematologist
				4 pat_bii134 Contact of hematologist
	17	[pat_bii13b]	b. The Pain Plan contains	checkbox
		Show the field ONLY if:		1 pat_bii13b1 i. Drug name
		[pat_bii13(2)] = '1'		2 pat_bii13b2 ii. Drug dose
				3 pat_bii13b3 iii. Drug route
				4 pat_bii13b4 iv. Last update date
	18	[pat_bii14]	14. Check if the IPP includes the following additional	checkbox
			content (SELECT ALL THAT APPLY)	1 pat_bii141 a. Allergies
				2 pat_bii142 b. Significant past medical history
				specific to SCD (i.e., acute chest syndrome, stroke, renal disease)
				3 pat_bii143 c. Significant other history
				relative to an ED visit (i.e., patient
				is ultrasensitive to morphine or dilaudid)
				4 pat_bii144 Other
	10	[ant hildeth]	Other please specify	
	19	[apt_bi14oth]	Other, please specify	text Custom alignment: RV
		Show the field ONLY if: [pat_bii14(4)] = '1'		-
	20	[pat_bii15]	15. IPP Order	descriptive
Ш		_ *	- 1	

			T	
	21	[pat_bii15a_1]	Drug 1	radio 1 Morphine sulfate
			a. Drug name	
				2 Hydromorphone
				3 Fentanyl
				4 Other (specify below)
				Custom alignment: RV
	22	[pat_bii15a_1_oth]	Please specify the other drug	text
		Show the field ONLY if:		
	23	[pat_bii15a_1]='4'	b. Drug dose ordered:	text (number, Min: 1, Max: 999)
	24	[pat_bii15b_1] [pat_bii15d_1]	d. Drug unit	radio
	24	[pat_DIII3u_I]	u. Drug ume	1 mg
				2 mcg
	25	[pat_bii15e_1_other]	Drug Route: Other	text
\vdash	26	[pat_bii15e_1]	e. Drug route	radio
	20	[put_011150_1]	e. Stag route	1 Intravenous
				2 Intramuscular
				3 Subcutaneous
				4 Oral
				5 Intranasal fentanyl
				99 Other: {pat_bii15e_1_other}
	27	[pat_bii15a_2]	Drug 2	radio
		Show the field ONLY if:		1 Morphine sulfate
		[pat_bii15a_1]!="	a. Drug name	2 Hydromorphone
				3 Fentanyl
				4 Other (specify below)
				Custom alignment: RV
	28	[pat_bii15a_2_oth]	Please specify the other drug	text
	20	Show the field ONLY if:	Thease specify the other drug	text
		[pat_bii15a_1]!=" and [pat_bii		
		15a_2]='4'		
	29	[pat_bii15b_2]	b. Drug dose ordered:	text (number, Min: 1, Max: 999)
		Show the field ONLY if: [pat_bii15a_1]!="		
	30	[pat_bii15d_2]	d. Drug unit	radio
		Show the field ONLY if:	3 · ·	1 mg
		[pat_bii15a_1]!="		2 mcg
	21	Fort hide 2 U.S.	Drug Douter Other	Custom alignment: RV
	31	[pat_bii15e_2_other]	Drug Route: Other	text
	32	[pat_bii15e_2] Show the field ONLY if:	e. Drug route	radio 1 Intravenous
		Show the field ONLY if: [pat_bii15a_1]!="		2 Intramuscular
				3 Subcutaneous
				4 Oral
				5 Intranasal fentanyl
				99 Other: {pat_bii15e_2_other}

33	[pat_bii15a_3]	Drug 3	radio
55	Show the field ONLY if:		1 Morphine sulfate
	[pat_bii15a_2]!="	a. Drug name	2 Hydromorphone
			3 Fentanyl
			4 Other (specify below)
			[·] - said (cp sail) - said (p
			Custom alignment: RV
34	[pat_bii15a_3_oth]	Please specify the other drug	text
	Show the field ONLY if: [pat_bii15a_2]!=" and [pat_bii 15a_3]='4'		
35	[pat_bii15b_3]	b. Drug dose ordered:	text (number, Min: 1, Max: 999)
	Show the field ONLY if: [pat_bii15a_2]!="		
36	[pat_bii15d_3]	d. Drug unit	radio
	Show the field ONLY if:		1 mg
	[pat_bii15a_2]!="		2 mcg
			Custom alignment: RV
37	[pat_bii15e_3_other]	Drug Route: Other	text
38	[pat_bii15e_3]	e. Drug route	radio
50	Show the field ONLY if:		1 Intravenous
	[pat_bii15a_2]!="		2 Intramuscular
			3 Subcutaneous
			4 Oral
			5 Intranasal fentanyl
			99 Other: {pat_bii15e_3_other}
39	[pat_bii15a_4]	Drug 4	radio
37	Show the field ONLY if:	D105 4	1 Morphine sulfate
	[pat_bii15a_3]!="	a. Drug name	2 Hydromorphone
			3 Fentanyl
			4 Other (specify below)
			Custom alignment: RV
40	[pat_bii15a_4_oth]	Please specify the other drug	text
	Show the field ONLY if: [pat_bii15a_3]!=" and [pat_bii 15a_4]='4'		
41	[pat_bii15b_4]	b. Drug dose ordered:	text (number, Min: 1, Max: 999)
	Show the field ONLY if: [pat_bii15a_3]!="		
42	[pat_bii15d_4]	d. Drug unit	radio
	Show the field ONLY if:		1 mg
	[pat_bii15a_3]!="		2 mcg
			Custom alignment: RV
43	[pat_bii15e_4_other]	Drug Route: Other	text

		T	
4	4 [pat_bii15e_4]	e. Drug route	radio
	Show the field ONLY if:		1 Intravenous
	[pat_bii15a_3]!="		2 Intramuscular
			3 Subcutaneous
			4 Oral
			5 Intranasal fentanyl
			99 Other: {pat_bii15e_4_other}
4	5 [pat_bii15a_5]	Drug 5	radio
	Show the field ONLY if:	- David Garage	1 Morphine sulfate
	[pat_bii15a_4]!="	a. Drug name	2 Hydromorphone
			3 Fentanyl
			4 Other (specify below)
			Custom alignment: RV
4		Please specify the other drug	text
	Show the field ONLY if:		
	[pat_bii15a_4]!=" and [pat_bii 15a_5]='4'		
4	7 [pat_bii15b_5]	b. Drug dose ordered:	text (number, Min: 1, Max: 999)
	Show the field ONLY if:		
	[pat_bii15a_4]!="		
4	8 [pat_bii15d_5]	d. Drug unit	radio
	Show the field ONLY if:		1 mg
	[pat_bii15a_4]!=''		2 mcg
			Custom alignment: RV
4	9 [pat_bii15e_5_other]	Drug Route: Other	text
5		e. Drug route	radio
	Show the field ONLY if:		1 Intravenous
	[pat_bii15a_4]!="		2 Intramuscular
			3 Subcutaneous
			4 Oral
			5 Intranasal fentanyl
			99 Other: {pat_bii15e_5_other}
	4		
5		Drug 6	radio
	Show the field ONLY if: [pat_bii15a_5]!="	a. Drug name	1 Morphine sulfate
	[ρατ_οπτοα_σ];-		2 Hydromorphone
			3 Fentanyl
			4 Other (specify below)
			Custom alignment: RV
5	2 [pat_bii15a_6_oth]	Please specify the other drug	text
	Show the field ONLY if:		
	[pat_bii15a_5]!=" and [pat_bii 15a_6]='4'		
5	3 [pat_bii15b_6]	b. Drug dose ordered:	text (number, Min: 1, Max: 999)
	Show the field ONLY if:		
	[pat_bii15a_5]!="		

54	[pat_bii15d_6] Show the field ONLY if: [pat_bii15a_5]!="	d. Drug unit	radio	
			Cust	om alignment: RV
55	[pat_bii15e_6_other]	Drug Route: Other	text	
56	[pat_bii15e_6]	e. Drug route	radio	0
	Show the field ONLY if:		1	Intravenous
	[pat_bii15a_5]!="		2	Intramuscular
			3	Subcutaneous
			4	Oral
			5	Intranasal fentanyl
			99	Other: {pat_bii15e_6_other}
57	[pat_biii1_1]	Section Header: III. Baseline EHR retrieval data (past 12 months from enrollment, VOE visits, enrolled patients)	radio	
		Visit 1	l 	Methodist University Hospital
		1. ED visited		Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			Field ["10 {"cool nam dag- ["40 nam dag- [recc ["70 {"cool	com alignment: LV d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude'"}, de":["20"],"server_logic":"[record-dag- ne]!='duke'"},{"code":["30"],"server_logic":"[record- name]!='chicago'"},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf""},{"code":["50"],"server_logic":"[record- name]!='mt_sinai'"},{"code":["60"],"server_logic":" ord-dag-name]!='washu'"},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc'"}]
58	[pat_biii2_1]	2. ED visit date mm-dd-yyyy		(date_mdy) com alignment: RV
59	[pat_biii3_1]	3. Reason of ED visit is VOE	1 2 Cust	Yes
60	[pat_biii4_1]	4. Time of arrival hh:mm	text	(time)
61	[pat_biii5_1]	5. Time of first opioid administration hh:mm	text	(time)

62	<pre>[pat_biii6_1]</pre>	6. Admission		2	Yes
63	[pat_biii1_2]	Visit 2		adio	
	Show the field ONLY if:	1. ED visited		10	Methodist University Hospital
	[pat_biii2_1]!="	1. ED VISILEO		20	Duke University Hospital Emergency Department
				30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
				40	UCSF Children's Oakland ED
				41	UCSF Children's Mission Bay ED
				42	UCSF Parnassus ED
				43	UCSF Zuckerberg San Francisco General Hospital ED
				44	UC Davis
				50	The Mount Sinai Hospital Emergency Department
				60	Barnes Hospital
				70	Augusta University Medical Center Emergency Department
				80	MUSC Emergency Department
			F C' n d C' n d C' C'	Field "10" "coo dag- "40" nam dag- reco "70"	com alignment: LV d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude""}, de":["20"],"server_logic":"[record-dag- ne]!='duke"'},{"code":["30"],"server_logic":"[record- name]!='chicago"'},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf"'},("code":["50"],"server_logic":"[record- name]!='mt_sinai"'},{"code":["60"],"server_logic":" pord-dag-name]!='washu'"},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc"'}]
64	[pat_biii2_2] Show the field ONLY if: [pat_biii2_1]!="	2. ED visit date mm-dd-yyyy			(date_mdy) com alignment: RV
65	[pat_biii3_2] Show the field ONLY if: [pat_biii2_1]!="	3. Reason of ED visit is VOE		2	Yes
66	[pat_biii4_2]	4. Time of arrival	te	ext	(time)
	Show the field ONLY if: [pat_biii2_1]!="	hh:mm		Cust	om alignment: RV
67	[pat_biii5_2] Show the field ONLY if: [pat_biii2_1]!="	5. Time of first opioid administration hh:mm			(time) om alignment: RV
68	[pat_biii6_2] Show the field ONLY if: [pat_biii2_1]!="	6. Admission		2	Yes

69	[pat_biii1_3]	Visit 3	radi	0
	Show the field ONLY if:	1. ED visited	10	Methodist University Hospital
	[pat_biii2_2]!="	1. ED VISILEU	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			["10 {"co nam dag ["40 nam dag [rec ["70 {"co	d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude'"}, de":["20"],"server_logic":"[record-dag- ne]!='duke'"},{"code":["30"],"server_logic":"[recordname]!='chicago'"},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf""},{"code":["50"],"server_logic":"[recordname]!='mt_sinai""},{"code":["60"],"server_logic":" ord-dag-name]!='washu'"},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc'"}]
70	[pat_biii2_3] Show the field ONLY if:	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: RV
71	[pat_biii2_2]!="	3. Reason of ED visit is VOE	d:	_
71	[pat_biii3_3] Show the field ONLY if: [pat_biii2_2]!="	3. Reason of ED visit is VOE	radi 1 2	
			Cus	tom alignment: RV
72	[pat_biii4_3]	4. Time of arrival	text	(time)
	Show the field ONLY if: [pat_biii2_2]!="	hh:mm	Cus	tom alignment: RV
73	[pat_biii5_3]	5. Time of first opioid administration		(time)
	Show the field ONLY if: [pat_biii2_2]!="	hh:mm	Cus	tom alignment: RV
74	[pat_biii6_3]	6. Admission	radi	
	Show the field ONLY if: [pat_biii2_2]!="		$1 \vdash \vdash \vdash$	Yes No
			Cus	tom alignment: RV

75	[pat_biii1_4]	Visit 4	radi	0
	Show the field ONLY if:	1. ED visited	10	Methodist University Hospital
	[pat_biii2_3]!="	1. ED VISILEU	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			["10 {"co nam dag ["40 nam dag [rec ["70 {"co	d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude'"}, de":["20"],"server_logic":"[record-dag- ne]!='duke'"},{"code":["30"],"server_logic":"[recordname]!='chicago'"},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf""},{"code":["50"],"server_logic":"[recordname]!='mt_sinai"},{"code":["60"],"server_logic":" ord-dag-name]!='washu'"},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc'"}]
76	[pat_biii2_4] Show the field ONLY if: [pat_biii2_3]!="	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: RV
77	[pat_biii3_4] Show the field ONLY if: [pat_biii2_3]!="	3. Reason of ED visit is VOE		
78	[pat_biii4_4]	4. Time of arrival		(time)
	Show the field ONLY if: [pat_biii2_3]!="	hh:mm	Cus	tom alignment: RV
79	[pat_biii5_4]	5. Time of first opioid administration		(time)
	Show the field ONLY if: [pat_biii2_3]!="	hh:mm	Cus	tom alignment: RV
80	[pat_biii6_4]	6. Admission	radi	
	Show the field ONLY if: [pat_biii2_3]!="		$1 \vdash \vdash \vdash$	Yes No
			Cus	tom alignment: RV

81	[pat_biii1_5]	Visit 5	radi	0
	Show the field ONLY if:	1. ED visited	10	Methodist University Hospital
	[pat_biii2_4]!="	T. ED VISILEU	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			["10 {"co nam dag ["40 nam dag [rec ["70 {"co	d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude"'}, de":["20"],"server_logic":"[record-dag- ne]!='duke"'},{"code":["30"],"server_logic":"[record- name]!='chicago"'},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf"'},{"code":["50"],"server_logic":"[record- name]!='mt_sinai"'},{"code":["60"],"server_logic":" ord-dag-name]!='washu'"},{"code": "],"server_logic":"[record-dag- name]!='mt_sinai"'},{"code":["100"],"server_logic":" "],"server_logic":"[record-dag- ne]!='musc"']
82	<pre>[pat_biii2_5] Show the field ONLY if: [pat_biii2_4]!="</pre>	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: RV
83	[pat_biii3_5] Show the field ONLY if: [pat_biii2_4]!="	3. Reason of ED visit is VOE		
84	[pat_biii4_5]	4. Time of arrival		(time)
	Show the field ONLY if: [pat_biii2_4]!="	hh:mm	Cus	tom alignment: RV
85	[pat_biii5_5] Show the field ONLY if: [pat_biii2_4]!="	5. Time of first opioid administration hh:mm		(time) tom alignment: RV
86	[pat_biii6_5] Show the field ONLY if: [pat_biii2_4]!="	6. Admission	2	Yes

87	[pat_biii1_6]	Visit 6	radi	0
	Show the field ONLY if:	1. ED visited	10	Methodist University Hospital
	[pat_biii2_5]!="	1. ED VISILEU	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			["10 {"co nam dag ["40 nam dag [rec ["70 {"co	d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude'"}, de":["20"],"server_logic":"[record-dag- ne]!='duke'"},{"code":["30"],"server_logic":"[record- name]!='chicago'"},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf""},{"code":["50"],"server_logic":"[record- name]!='mt_sinai"},{"code":["60"],"server_logic":" ord-dag-name]!='washu'"},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc'"}]
88	[pat_biii2_6] Show the field ONLY if: [pat_biii2_5]!="	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: RV
89	[pat_biii3_6] Show the field ONLY if: [pat_biii2_5]!="	3. Reason of ED visit is VOE		
90	[pat_biii4_6]	4. Time of arrival		(time) tom alignment: RV
	Show the field ONLY if: [pat_biii2_5]!="		Cus	com angriment iv
91	[pat_biii5_6]	5. Time of first opioid administration		(time)
	Show the field ONLY if: [pat_biii2_5]!="	hh:mm	Cus	tom alignment: RV
92	[pat_biii6_6]	6. Admission	radi	
	Show the field ONLY if: [pat_biii2_5]!="		$1 \vdash \vdash \vdash$	Yes No
			Cus	tom alignment: RV

93 [pat_biii1_7] Show the field ONLY if: [pat_biii2_6]!=" Visit 7 1. ED visited 10 Methodist University Hos Department 30 UI Health Emergency Taylor in Chicago, Illi 40 UCSF Children's Oak 41 UCSF Children's Miss 42 UCSF Parnassus ED 43 UCSF Zuckerberg Sa Hospital ED 44 UC Davis 50 The Mount Sinai Hospital ED 20 Department 60 Barnes Hospital 70 Augusta University Molepartment 70 Department 70 Depa	spital Emergency y Department (1740 W. inois 60612) kland ED sion Bay ED in Francisco General spital Emergency Medical Center Emergency epartment
[pat_biii2_6]!=" 20 Duke University Hos Department 30 UI Health Emergency Taylor in Chicago, Illi 40 UCSF Children's Oak 41 UCSF Children's Miss 42 UCSF Parnassus ED 43 UCSF Zuckerberg Sa Hospital ED 44 UC Davis 50 The Mount Sinai Hospeartment 60 Barnes Hospital 70 Augusta University Miss 20 Duke University Hospeartment 30 UI Health Emergency Taylor in Chicago, Illi 40 UCSF Children's Oak 41 UCSF Parnassus ED 43 UCSF Zuckerberg Sa Hospital ED	y Department (1740 W. inois 60612) kland ED sion Bay ED in Francisco General spital Emergency Medical Center Emergency epartment
Taylor in Chicago, Illi 40 UCSF Children's Oak 41 UCSF Children's Miss 42 UCSF Parnassus ED 43 UCSF Zuckerberg Sa Hospital ED 44 UC Davis 50 The Mount Sinai Hospeartment 60 Barnes Hospital 70 Augusta University M	kland ED sion Bay ED in Francisco General spital Emergency Medical Center Emergency epartment
41 UCSF Children's Miss 42 UCSF Parnassus ED 43 UCSF Zuckerberg Sa Hospital ED 44 UC Davis 50 The Mount Sinai Hos Department 60 Barnes Hospital 70 Augusta University M	sion Bay ED In Francisco General spital Emergency Medical Center Emergency epartment
42 UCSF Parnassus ED 43 UCSF Zuckerberg Sa Hospital ED 44 UC Davis 50 The Mount Sinai Hos Department 60 Barnes Hospital 70 Augusta University M	spital Emergency Medical Center Emergency epartment
43 UCSF Zuckerberg Sa Hospital ED 44 UC Davis 50 The Mount Sinai Hospital 60 Barnes Hospital 70 Augusta University Mount Sinai Hospital	spital Emergency Medical Center Emergency epartment
Hospital ED 44 UC Davis 50 The Mount Sinai Hospital Compartment 60 Barnes Hospital 70 Augusta University Mount Sinai Hospital	spital Emergency Medical Center Emergency epartment
50 The Mount Sinai Hos Department 60 Barnes Hospital 70 Augusta University M	Medical Center Emergency epartment
Department 60 Barnes Hospital 70 Augusta University N	Medical Center Emergency epartment
70 Augusta University N	epartment
	epartment
80 MUSC Emergency De	
{"code":["20"],"server_logi name]!='duke"'},{"code":[" dag-name]!='chicago'"},{"c ["40","41","42","43","44"],' name]!='ucsf""},{"code":["]; dag-name]!='mt_sinai'"},{" [record-dag-name]!='wasl	ord-dag-name]!='st_jude'"}, ic":"[record-dag- '30"],"server_logic":"[record- code": "server_logic":"[record-dag- 50"],"server_logic":"[record- "code":["60"],"server_logic":" hu""},{"code": ord-dag-name]!='augusta'"},
94 [pat_biii2_7] 2. ED visit date text (date_mdy) Show the field ONLY if: [pat_biii2_6]!=" text (date_mdy) Custom alignment: RV	
95 [pat_biii3_7] Show the field ONLY if: [pat_biii2_6]!=" 3. Reason of ED visit is VOE 1 Yes	
96 [pat_biii4_7] 4. Time of arrival text (time)	
Show the field ONLY if: [pat_biii2_6]!=" Custom alignment: RV	
97 [pat_biii5_7] 5. Time of first opioid administration text (time)	
Show the field ONLY if: [pat_biii2_6]!=" Custom alignment: RV	
98 [pat_biii6_7] 6. Admission radio	
Show the field ONLY if: [pat_biii2_6]!=" 1 Yes 2 No	
Custom alignment: RV	

99	[pat_biii1_8]	Visit 8	radio		
	Show the field ONLY if:	1. ED visited	10	Methodist University Hospital	
	[pat_biii2_7]!="	T. ED VISITEU	20	Duke University Hospital Emergency Department	
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)	
			40	UCSF Children's Oakland ED	
			41	UCSF Children's Mission Bay ED	
			42	UCSF Parnassus ED	
			43	UCSF Zuckerberg San Francisco General Hospital ED	
			44	UC Davis	
			50	The Mount Sinai Hospital Emergency Department	
			60	Barnes Hospital	
			70	Augusta University Medical Center Emergency Department	
			80	MUSC Emergency Department	
			["10 {"co nam dag ["40 nam dag [rec ["70 {"co	d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude'"}, de":["20"],"server_logic":"[record-dag- ne]!='duke"'},{"code":["30"],"server_logic":"[record- name]!='chicago'"},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf""},{"code":["50"],"server_logic":"[record- name]!='mt_sinai""},{"code":["60"],"server_logic":" ord-dag-name]!='washu'"},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc'"}]	
100	[pat_biii2_8] Show the field ONLY if: [pat_biii2_7]!="	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: RV	
101	[pat_biii3_8] Show the field ONLY if: [pat_biii2_7]!="	3. Reason of ED visit is VOE	2	dio Yes No Stom alignment: RV	
102	[pat_biii4_8] Show the field ONLY if: [pat_biii2_7]!="	4. Time of arrival hh:mm		(time) tom alignment: RV	
103	[pat_biii5_8] Show the field ONLY if: [pat_biii2_7]!="	5. Time of first opioid administration hh:mm		(time) tom alignment: RV	
104	[pat_biii6_8] Show the field ONLY if: [pat_biii2_7]!="	6. Admission	2	o Yes No tom alignment: RV	

105	[pat_biii1_9]	Visit 9	radio	
	Show the field ONLY if:	1. ED visited	10	Methodist University Hospital
	[pat_biii2_8]!="	1. ED visited	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			["10 {"co nam dag: ["40 nam dag: [rec: ["70 {"co	d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude'"}, de":["20"],"server_logic":"[record-dag- ne]!='duke'"},{"code":["30"],"server_logic":"[record- name]!='chicago'"},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf""},{"code":["50"],"server_logic":"[record- name]!='mt_sinai""},{"code":["60"],"server_logic":" ord-dag-name]!='washu'"},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc'"}]
106	[pat_biii2_9] Show the field ONLY if: [pat biii2 8]!="	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: RV
107	[pat_biii3_9] Show the field ONLY if: [pat_biii2_8]!="	3. Reason of ED visit is VOE		
108	[pat_biii4_9] Show the field ONLY if: [pat_biii2_8]!="	4. Time of arrival hh:mm		(time) tom alignment: RV
109	[pat_biii5_9] Show the field ONLY if: [pat_biii2_8]!="	5. Time of first opioid administration hh:mm		(time) tom alignment: RV
110	[pat_biii6_9] Show the field ONLY if: [pat_biii2_8]!="	6. Admission	2	Yes

111	[pat_biii1_10]	Visit 10	radio)
	Show the field ONLY if:	1. ED visited	10	Methodist University Hospital
	[pat_biii2_9]!="	1. ED VISILEU	20	Duke University Hospital Emergency Department
				UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
				The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
				Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			["10" {"cod name dag-r ["40" name dag-r [reco ["70" {"cod	Annotation: @HIDE-CHOICE-WHEN=[("code":],"server_logic":"[record-dag-name]!='st_jude""}, le":["20"],"server_logic":"[record-dag- e]!='duke""},{"code":["30"],"server_logic":"[record-name]!='chicago""},{"code": ,"41","42","43","44"],"server_logic":"[record-dag- e]!='ucsf""},{"code":["50"],"server_logic":"[record-name]!='mt_sinai""},{"code":["60"],"server_logic":" rrd-dag-name]!='washu""},{"code":],"server_logic":"[record-dag-name]!='augusta'"}, le":["80"],"server_logic":"[record-dag- e]!='musc""}]
112	[pat_biii2_10]	2. ED visit date		date_mdy)
	Show the field ONLY if: [pat_biii2_9]!="	mm-dd-yyyy	Custo	om alignment: RV
113	[pat_biii3_10] Show the field ONLY if: [pat_biii2_9]!="	3. Reason of ED visit is VOE	radio	'es
				om alignment: RV
114	Show the field ONLY if: [pat_biii2_9]!="	4. Time of arrival hh:mm		time) om alignment: RV
115	[pat_biii5_10] Show the field ONLY if: [pat_biii2_9]!="	5. Time of first opioid administration hh:mm	text (time) om alignment: RV
116		6. Admission	radio 1 Y 2 N Custo	⁄es

	117	[pat_biii1_11]	Visit 11	ra	dio
		Show the field ONLY if:	1. ED visited	1	0 Methodist University Hospital
		[pat_biii2_10]!="	1. ED VISILEU	2	0 Duke University Hospital Emergency Department
				3	0 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
				4	0 UCSF Children's Oakland ED
				4	1 UCSF Children's Mission Bay ED
				4	2 UCSF Parnassus ED
				4	3 UCSF Zuckerberg San Francisco General Hospital ED
				4	4 UC Davis
				5	0 The Mount Sinai Hospital Emergency Department
				6	0 Barnes Hospital
				7	0 Augusta University Medical Center Emergency Department
				8	0 MUSC Emergency Department
				["" {"c na da ["a na da [rc [""	eld Annotation: @HIDE-CHOICE-WHEN=[{"code": 10"],"server_logic":"[record-dag-name]!='st_jude"'}, code":["20"],"server_logic":"[record-dag-me]!='duke'"},{"code":["30"],"server_logic":"[record-ig-name]!='chicago'"},{"code": 10","41","42","43","44"],"server_logic":"[record-dag-me]!='ucsf'"},{"code":["50"],"server_logic":"[record-ig-name]!='mt_sinai'"},{"code":["60"],"server_logic":" codeddecord-dag-name]!='washu'"},{"code":["80"],"server_logic":" codeddecord-dag-name]!='augusta'"}, code":["80"],"server_logic":"[record-dag-name]!='augusta'"}, code":["80"], code"
	118	[pat_biii2_11]	2. ED visit date		xt (date_mdy)
		Show the field ONLY if: [pat_biii2_10]!="	mm-dd-yyyy	Cu	istom alignment: RV
	119	[pat_biii3_11] Show the field ONLY if:	3. Reason of ED visit is VOE		dio Yes
		[pat_biii2_10]!="		2	No
					ıstom alignment: RV
	120	[pat_biii4_11] Show the field ONLY if: [pat_biii2_10]!="	4. Time of arrival hh:mm		xt (time) istom alignment: RV
	121	[pat_biii5_11]	5. Time of first opioid administration		xt (time)
		Show the field ONLY if: [pat_biii2_10]!="	hh:mm	Cu	istom alignment: RV
	122	[pat_biii6_11]	6. Admission	l -	dio
		Show the field ONLY if: [pat_biii2_10]!="		I I—	Yes No
					ıstom alignment: RV
Ш				C	ascom angriment. Ity

12	3 [pat_biii1_12]	Visit 12	radio
	Show the field ONLY if:	1. ED visited	10 Methodist University Hospital
	[pat_biii2_11]!=''	1. ED VISILEU	20 Duke University Hospital Emergency Department
			30 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40 UCSF Children's Oakland ED
			41 UCSF Children's Mission Bay ED
			42 UCSF Parnassus ED
			43 UCSF Zuckerberg San Francisco General Hospital ED
			44 UC Davis
			50 The Mount Sinai Hospital Emergency Department
			60 Barnes Hospital
			70 Augusta University Medical Center Emergency Department
			80 MUSC Emergency Department
			Field Annotation: @HIDE-CHOICE-WHEN=[{"code": ["10"],"server_logic":"[record-dag-name]!='st_jude""}, {"code":["20"],"server_logic":"[record-dag-name]!='duke""},{"code":["30"],"server_logic":"[record-dag-name]!='chicago""},{"code": ["40","41","42","43","44"],"server_logic":"[record-dag-name]!='ucsf""},{"code":["50"],"server_logic":"[record-dag-name]!='mt_sinai""},{"code":["60"],"server_logic":' [record-dag-name]!='washu'"},{"code": ["70"],"server_logic":' [record-dag-name]!='augusta'"}, {"code":["80"],"server_logic":"[record-dag-name]!='musc'"}]
12	4 [pat_biii2_12]	2. ED visit date	text (date_mdy)
	Show the field ONLY if: [pat_biii2_11]!="	mm-dd-yyyy	Custom alignment: RV
12	5 [pat_biii3_12] Show the field ONLY if: [pat_biii2_11]!="	3. Reason of ED visit is VOE	radio 1 Yes 2 No
			Custom alignment: RV
12	5 [pat_biii4_12] Show the field ONLY if: [pat_biii2_11]!="	4. Time of arrival hh:mm	text (time) Custom alignment: RV
12	7 [pat_biii5_12] Show the field ONLY if: [pat_biii2_11]!="	5. Time of first opioid administration hh:mm	text (time) Custom alignment: RV
12	Show the field ONLY if: [pat_biii2_11]!="	6. Admission	radio 1 Yes 2 No Custom alignment: RV

129	pat_biii1_13]	Visit 13	rac	lio
	Show the field ONLY if:	1. ED visited	10	Methodist University Hospital
	[pat_biii2_12]!="	1. ED VISILEU	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			{"cc nai dag ["4 nai dag [re ["7 {"cc	O"],"server_logic":"[record-dag-name]!='st_jude""}, ode":["20"],"server_logic":"[record-dag- me]!='duke""},("code":["30"],"server_logic":"[record- g-name]!='chicago""},{"code": 0","41","42","43","44"],"server_logic":"[record-dag- me]!='ucsf""},{"code":["50"],"server_logic":"[record- g-name]!='mt_sinai""},("code":["60"],"server_logic":" cord-dag-name]!='washu""},("code": 0"],"server_logic":"[record-dag-name]!='augusta'"}, ode":["80"],"server_logic":"[record-dag- me]!='musc'"}]
130	[pat_biii2_13] Show the field ONLY if:	2. ED visit date mm-dd-yyyy		t (date_mdy) stom alignment: RV
	[pat_biii2_12]!="			
13	[pat_biii3_13] Show the field ONLY if: [pat_biii2_12]!="	3. Reason of ED visit is VOE	2	Yes No stom alignment: RV
132	2 [pat_biii4_13] Show the field ONLY if: [pat_biii2_12]!="	4. Time of arrival hh:mm		t (time) stom alignment: RV
133	[pat_biii5_13] Show the field ONLY if: [pat_biii2_12]!="	5. Time of first opioid administration hh:mm		t (time) stom alignment: RV
134	Show the field ONLY if: [pat_biii2_12]!="	6. Admission	2	Yes No stom alignment: RV

135	[pat_biii1_14]	Visit 14	ra	dio
	Show the field ONLY if:	1. ED visited	1	0 Methodist University Hospital
	[pat_biii2_13]!="	1. ED VISILEU	2	0 Duke University Hospital Emergency Department
			3	0 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			4	0 UCSF Children's Oakland ED
			4	1 UCSF Children's Mission Bay ED
			4	2 UCSF Parnassus ED
			4	3 UCSF Zuckerberg San Francisco General Hospital ED
			4	4 UC Davis
			5	0 The Mount Sinai Hospital Emergency Department
			6	0 Barnes Hospital
			7	0 Augusta University Medical Center Emergency Department
			8	0 MUSC Emergency Department
			["' "' na da ["' da [re "'	eld Annotation: @HIDE-CHOICE-WHEN=[{"code": 10"],"server_logic":"[record-dag-name]!='st_jude"], code":["20"],"server_logic":"[record-dag-name]!='chicago"],"server_logic":"[record-dag-name]!='chicago"],("code": 10","41","42","43","44"],"server_logic":"[record-dag-name]!='ucsf""],("code":["50"],"server_logic":"[record-g-name]!='mt_sinai"],{"code":["60"],"server_logic":" ecord-dag-name]!='washu"],{"code": 70"],"server_logic":"[record-dag-name]!='augustai"], code":["80"],"server_logic":"[record-dag-name]!='augustai"], code":["80"],"server_logic":"[record-dag-name]!='musci"]]
136	[pat_biii2_14]	2. ED visit date		xt (date_mdy)
	Show the field ONLY if: [pat_biii2_13]!="	mm-dd-yyyy	Cu	ustom alignment: RV
137	[pat_biii3_14]	3. Reason of ED visit is VOE		dio T T
	Show the field ONLY if: [pat_biii2_13]!="			Yes
	[pac_biii2_13]:-			No
			Cu	ustom alignment: RV
138	[pat_biii4_14]	4. Time of arrival		xt (time)
	Show the field ONLY if: [pat_biii2_13]!="	hh:mm	С	ustom alignment: RV
139	[pat_biii5_14]	5. Time of first opioid administration hh:mm		xt (time)
	Show the field ONLY if: [pat_biii2_13]!="	muniti	Ci	ustom alignment: RV
140	[pat_biii6_14]	6. Admission	T	dio
	Show the field ONLY if: [pat_biii2_13]!="		I	Yes No
				ustom alignment: DV
			Ct	ustom alignment: RV

141	[pat_biii1_15]	Visit 15	ra	dio
	Show the field ONLY if:	1. ED visited	1	0 Methodist University Hospital
	[pat_biii2_14]!="	1. ED VISILEU	2	Duke University Hospital Emergency Department
			3	0 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			4	0 UCSF Children's Oakland ED
			4	1 UCSF Children's Mission Bay ED
			4	2 UCSF Parnassus ED
			4	3 UCSF Zuckerberg San Francisco General Hospital ED
			4	4 UC Davis
			5	The Mount Sinai Hospital Emergency Department
			6	0 Barnes Hospital
			7	0 Augusta University Medical Center Emergency Department
			8	0 MUSC Emergency Department
			["1 {"c na da [" ² na da [re ["7,	eld Annotation: @HIDE-CHOICE-WHEN={{"code": 0"],"server_logic":"[record-dag-name]!='st_jude"'}, ode":["20"],"server_logic":"[record-dag- me]!='duke"'},{"code":["30"],"server_logic":"[record- g-name]!='chicago"'},{"code": 10","41","42","43","44"],"server_logic":"[record-dag- me]!='ucsf"'},{"code":["50"],"server_logic":"[record- g-name]!='mt_sinai"'},{"code":["60"],"server_logic":" 10"],"server_logic":"[record-dag-name]!='augusta'"}, ode":["80"],"server_logic":"[record-dag- me]!='musc"'}]
142	[pat_biii2_15]	2. ED visit date		kt (date_mdy)
	Show the field ONLY if: [pat_biii2_14]!="	mm-dd-yyyy	Cu	stom alignment: RV
143	[pat_biii3_15]	3. Reason of ED visit is VOE		dio
	Show the field ONLY if: [pat_biii2_14]!="			Yes No
			Cu	stom alignment: RV
144	[pat_biii4_15]	4. Time of arrival		ct (time)
	Show the field ONLY if: [pat_biii2_14]!="	hh:mm	С	stom alignment: RV
145	[pat_biii5_15]	5. Time of first opioid administration		kt (time)
	Show the field ONLY if: [pat_biii2_14]!="	hh:mm	С	stom alignment: RV
146	[pat_biii6_15]	6. Admission	l F	dio
	Show the field ONLY if: [pat_biii2_14]!="		l 	Yes No
				ustom alignment: DV
			Ct	stom alignment: RV

147	[pat_biii1_16]	Visit 16	radio	
	Show the field ONLY if:	1. ED visited	10	Methodist University Hospital
	[pat_biii2_15]!="	1. ED VISILEO	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			["10 {"co nam dag: ["40 nam dag: [rec: ["70 {"co	d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude'"}, de":["20"],"server_logic":"[record-dag- ne]!='duke'"},{"code":["30"],"server_logic":"[record- name]!='chicago'"},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf""},{"code":["50"],"server_logic":"[record- name]!='mt_sinai""},{"code":["60"],"server_logic":" ord-dag-name]!='washu'"},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc'"}]
148	[pat_biii2_16] Show the field ONLY if:	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: RV
	[pat_biii2_15]!="			
149	[pat_biii3_16] Show the field ONLY if: [pat_biii2_15]!="	3. Reason of ED visit is VOE	radi 1 2	Yes
150	[pat_biii4_16]	4. Time of arrival		(time)
	Show the field ONLY if: [pat_biii2_15]!="	hh:mm	Cust	tom alignment: RV
151	[pat_biii5_16]	5. Time of first opioid administration		(time)
	Show the field ONLY if: [pat_biii2_15]!="	hh:mm	Cust	tom alignment: RV
152	[pat_biii6_16]	6. Admission	radi	
	Show the field ONLY if: [pat_biii2_15]!="		2	Yes No
			Cus	tom alignment: RV

	153	[pat_biii1_17]	Visit 17	radi	0	
		Show the field ONLY if:	1. ED visited	10 Methodist University Hospital		
		[pat_biii2_16]!="		20	Duke University Hospital Emergency Department	
				30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)	
				40	UCSF Children's Oakland ED	
				41	UCSF Children's Mission Bay ED	
				42	UCSF Parnassus ED	
				43	UCSF Zuckerberg San Francisco General Hospital ED	
				44	UC Davis	
				50	The Mount Sinai Hospital Emergency Department	
				60	Barnes Hospital	
				70	Augusta University Medical Center Emergency Department	
				80	MUSC Emergency Department	
				["10 {"co nan dag ["40 nan dag [rec ["70 {"co	d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude'"}, de":["20"],"server_logic":"[record-dag- ne]!='duke"'},{"code":["30"],"server_logic":"[record- name]!='chicago'"},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf"'},{"code":["50"],"server_logic":"[record- name]!='mt_sinai"},{"code":["60"],"server_logic":" ord-dag-name]!='washu'"},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc'"}]	
	154	[pat_biii2_17] Show the field ONLY if:	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: RV	
\vdash	155	[pat_biii2_16]!=" [pat_biii3_17]	3. Reason of ED visit is VOE	radi	0	
	133	Show the field ONLY if: [pat_biii2_16]!="	S. Reason of ED visit is VOL	2		
\vdash	156	[pat_biii4_17]	4. Time of arrival	1	(time)	
	, 50	Show the field ONLY if: [pat_biii2_16]!="	hh:mm		tom alignment: RV	
	157	[pat_biii5_17]	5. Time of first opioid administration		(time)	
		Show the field ONLY if: [pat_biii2_16]!="	hh:mm	Cus	tom alignment: RV	
	158	[pat_biii6_17]	6. Admission	radi		
		Show the field ONLY if: [pat_biii2_16]!="		$1 \leftarrow +$	Yes No	
				Cus	tom alignment: RV	

159	[pat_biii1_18]	Visit 18	rad	io
	Show the field ONLY if:	1. ED visited	10	Methodist University Hospital
	[pat_biii2_17]!="	1. ED VISILEU	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			["1({"cc nar dag ["4(nar dag [rec ["7({"cc	d Annotation: @HIDE-CHOICE-WHEN=[{"code":)"],"server_logic":"[record-dag-name]!='st_jude'"}, \text{sde":["20"],"server_logic":"[record-dag- ne]!='duke""},{"code":["30"],"server_logic":"[recordname]!='chicago""},{"code":)","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf""},{"code":["50"],"server_logic":"[recordname]!='mt_sinai""},{"code":["60"],"server_logic":" \text{cord-dag-name}!='washu'"},{"code": }"],"server_logic":"[record-dag- name]!='musc""}, \text{server_logic":"[record-dag- ne]!='musc""}]
160	[pat_biii2_18]	2. ED visit date mm-dd-yyyy		t (date_mdy)
	Show the field ONLY if: [pat_biii2_17]!="	пш-ии-уууу	Cus	stom alignment: RV
161	[pat_biii3_18] Show the field ONLY if: [pat_biii2_17]!="	3. Reason of ED visit is VOE	2	Yes No stom alignment: RV
162	[pat_biii4_18] Show the field ONLY if: [pat_biii2_17]!="	4. Time of arrival hh:mm	tex	t (time) stom alignment: RV
163	Show the field ONLY if: [pat_biii2_17]!="	5. Time of first opioid administration hh:mm		t (time) tom alignment: RV
164	[pat_biii6_18] Show the field ONLY if: [pat_biii2_17]!="	6. Admission	2	io Yes No stom alignment: RV

165 [pat_biii1_19] Visit 19 radio		0			
	Show the field ONLY if:	1. ED visited	10 Methodist University Hospital		
	[pat_biii2_18]!="		20	Duke University Hospital Emergency Department	
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)	
			40	UCSF Children's Oakland ED	
			41	UCSF Children's Mission Bay ED	
			42	UCSF Parnassus ED	
			43	UCSF Zuckerberg San Francisco General Hospital ED	
			44	UC Davis	
			50	The Mount Sinai Hospital Emergency Department	
			60	Barnes Hospital	
			70	Augusta University Medical Center Emergency Department	
			80	MUSC Emergency Department	
			["10 {"co nam dag: ["40 nam dag: [rec: ["70 {"co	d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude'"}, de":["20"],"server_logic":"[record-dag- ne]!='duke'"},{"code":["30"],"server_logic":"[recordname]!='chicago'"},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf""},{"code":["50"],"server_logic":"[recordname]!='mt_sinai""},{"code":["60"],"server_logic":" ord-dag-name]!='washu'"},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc'"}]	
166	<pre>[pat_biii2_19] Show the field ONLY if:</pre>	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: RV	
	[pat_biii2_18]!="				
167	[pat_biii3_19] Show the field ONLY if: [pat_biii2_18]!="	3. Reason of ED visit is VOE			
168	[pat_biii4_19]	4. Time of arrival		(time)	
	Show the field ONLY if: [pat_biii2_18]!="	hh:mm	Cus	tom alignment: RV	
169	[pat_biii5_19]	5. Time of first opioid administration		(time)	
	Show the field ONLY if: [pat_biii2_18]!="	hh:mm	Cust	tom alignment: RV	
170	[pat_biii6_19]	6. Admission	radi		
	Show the field ONLY if: [pat_biii2_18]!="		2	Yes No	
			Cus	tom alignment: RV	

17	1 [pat_biii1_20]	Visit 20	radio
	Show the field ONLY if:	1. ED visited	10 Methodist University Hospital
	[pat_biii2_19]!=''	1. ED VISILEO	20 Duke University Hospital Emergency Department
			30 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40 UCSF Children's Oakland ED
			41 UCSF Children's Mission Bay ED
			42 UCSF Parnassus ED
			43 UCSF Zuckerberg San Francisco General Hospital ED
			44 UC Davis
			The Mount Sinai Hospital Emergency Department
			60 Barnes Hospital
			70 Augusta University Medical Center Emergency Department
			80 MUSC Emergency Department
			["10"],"server_logic":"[record-dag-name]!='st_jude'"} {"code":["20"],"server_logic":"[record-dag- name]!='duke'"},{"code":["30"],"server_logic":"[record-dag- dag-name]!='chicago"'},{"code": ["40","41","42","43","44"],"server_logic":"[record-dag- name]!='ucsf"'},{"code":["50"],"server_logic":"[record-dag-name]!='mt_sinai'"},{"code":["60"],"server_logic': [record-dag-name]!='washu'"},{"code": ["70"],"server_logic":"[record-dag-name]!='augusta'' {"code":["80"],"server_logic":"[record-dag-name]!='musc'"}]
17	2 [pat_biii2_20]	2. ED visit date	text (date_mdy)
	Show the field ONLY if: [pat_biii2_19]!="	mm-dd-yyyy	Custom alignment: RV
17	3 [pat_biii3_20] Show the field ONLY if: [pat_biii2_19]!="	3. Reason of ED visit is VOE	radio 1 Yes 2 No Custom alignment: RV
17	Show the field ONLY if: [pat_biii2_19]!="	4. Time of arrival hh:mm	text (time) Custom alignment: RV
17	5 [pat_biii5_20] Show the field ONLY if: [pat_biii2_19]!="	5. Time of first opioid administration hh:mm	text (time) Custom alignment: RV
17	5 [pat_biii6_20] Show the field ONLY if: [pat_biii2_19]!="	6. Admission	radio 1 Yes 2 No Custom alignment: RV

17	7 [pat_biii1_21]	Visit 21	radio	
	Show the field ONLY if:	1. ED visited	10 Methodist University	y Hospital
	[pat_biii2_20]!=''	1. ED VISILEU	20 Duke University Hos Department	spital Emergency
			30 UI Health Emergenc Taylor in Chicago, III	
			40 UCSF Children's Oak	land ED
			41 UCSF Children's Mis	sion Bay ED
			42 UCSF Parnassus ED	
			43 UCSF Zuckerberg Sa Hospital ED	n Francisco General
			44 UC Davis	
			50 The Mount Sinai Ho Department	spital Emergency
			60 Barnes Hospital	
			70 Augusta University I Department	Medical Center Emergency
			80 MUSC Emergency D	epartment
			{"code":["20"],"server_log name]!='duke"'},{"code":[' dag-name]!='chicago''},(" ["40","41","42","43","44"], name]!='ucsf"'},("code":[" dag-name]!='mt_sinai"'},{ [record-dag-name]!='was	ord-dag-name]!='st_jude'"}, ic":"[record-dag- '30"],"server_logic":"[record- code": "server_logic":"[record-dag- 50"],"server_logic":"[record- 'code":["60"],"server_logic":" hu""},{"code": ord-dag-name]!='augusta'"},
17	B [pat_biii2_21]	2. ED visit date	text (date_mdy)	
	Show the field ONLY if: [pat_biii2_20]!="	mm-dd-yyyy	Custom alignment: RV	
17 ⁻	P [pat_biii3_21] Show the field ONLY if: [pat_biii2_20]!="	3. Reason of ED visit is VOE	radio 1 Yes 2 No Custom alignment: RV	
18	Show the field ONLY if: [pat_biii2_20]!="	4. Time of arrival hh:mm	text (time) Custom alignment: RV	
18	I [pat_biii5_21] Show the field ONLY if: [pat_biii2_20]!="	5. Time of first opioid administration hh:mm	text (time) Custom alignment: RV	
18.	[pat_biii6_21] Show the field ONLY if: [pat_biii2_20]!="	6. Admission	radio 1 Yes 2 No Custom alignment: RV	

1	33 [pat_biii1_22]	Visit 22	radio
	Show the field ONLY if:	1. ED visited	10 Methodist University Hospital
	[pat_biii2_21]!="	T. ED VISILEU	20 Duke University Hospital Emergency Department
			30 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40 UCSF Children's Oakland ED
			41 UCSF Children's Mission Bay ED
			42 UCSF Parnassus ED
			43 UCSF Zuckerberg San Francisco General Hospital ED
			44 UC Davis
			50 The Mount Sinai Hospital Emergency Department
			60 Barnes Hospital
			70 Augusta University Medical Center Emergency Department
			80 MUSC Emergency Department
			Field Annotation: @HIDE-CHOICE-WHEN=[{"code": ["10"],"server_logic":"[record-dag-name]!='st_jude""}, {"code":["20"],"server_logic":"[record-dag-name]!='duke"'], {"code":["30"],"server_logic":"[record-dag-name]!='chicago"'], {"code": ["40","41","42","43","44"],"server_logic":"[record-dag-name]!='ucsf""], {"code":["50"],"server_logic":"[record-dag-name]!='mt_sinai""], {"code":["60"],"server_logic":" [record-dag-name]!='washu""], {"code": ["70"], "server_logic":"[record-dag-name]!='augustai"], {"code":["80"], "server_logic":"[record-dag-name]!='augustai"], {"code":["80"], "server_logic":"[record-dag-name]!='musc"]]
1	34 [pat_biii2_22]	2. ED visit date mm-dd-yyyy	text (date_mdy) Custom alignment: RV
	Show the field ONLY if: [pat_biii2_21]!="	40 7777	Custom angiment. IV
1:	Show the field ONLY if: [pat_biii2_21]!="	3. Reason of ED visit is VOE	radio 1 Yes 2 No Custom alignment: RV
1	Show the field ONLY if: [pat_biii2_21]!="	4. Time of arrival hh:mm	text (time) Custom alignment: RV
1	[pat_biii5_22] Show the field ONLY if: [pat_biii2_21]!="	5. Time of first opioid administration hh:mm	text (time) Custom alignment: RV
1:	Show the field ONLY if: [pat_biii2_21]!="	6. Admission	radio 1 Yes 2 No Custom alignment: RV

189	[pat_biii1_23]	Visit 23	radi	0
	Show the field ONLY if:	1. ED visited	10	Methodist University Hospital
	[pat_biii2_22]!="	1. ED VISILEO	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			["10 {"co nam dag: ["40 nam dag: [rec: ["70 {"co	d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude'"}, de":["20"],"server_logic":"[record-dag- ne]!='duke"'},{"code":["30"],"server_logic":"[record- name]!='chicago'"},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf"'},{"code":["50"],"server_logic":"[record- name]!='mt_sinai"},{"code":["60"],"server_logic":" ord-dag-name]!='washu'"},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc'"}]
190	[pat_biii2_23] Show the field ONLY if: [pat_biii2_22]!="	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: RV
191	[pat_biii3_23] Show the field ONLY if: [pat_biii2_22]!="	3. Reason of ED visit is VOE		
192	[pat_biii4_23]	4. Time of arrival		(time)
	Show the field ONLY if: [pat_biii2_22]!="	hh:mm	Cust	tom alignment: RV
193	[pat_biii5_23]	5. Time of first opioid administration		(time)
	Show the field ONLY if: [pat_biii2_22]!="	hh:mm	Cust	tom alignment: RV
194	[pat_biii6_23]	6. Admission	radi	
	Show the field ONLY if: [pat_biii2_22]!="		2	Yes No
			Cus	tom alignment: RV

195	[pat_biii1_24]	Visit 24	rac	lio
	Show the field ONLY if:	1. ED visited	10	Methodist University Hospital
	[pat_biii2_23]!="	1. ED VISILEU	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			["1 {"cc nai da; ["4 nai da; [re ["7 {"cc	Id Annotation: @HIDE-CHOICE-WHEN=[{"code": 0"],"server_logic":"[record-dag-name]!='st_jude"'}, ode":["20"],"server_logic":"[record-dag- me]!='duke"'},{"code":["30"],"server_logic":"[record- g-name]!='chicago"'},{"code": 0","41","42","43","44"],"server_logic":"[record-dag- me]!='ucsf"'},{"code":["50"],"server_logic":"[record- g-name]!='mt_sinai"'},{"code":["60"],"server_logic":" cord-dag-name]!='washu"'},{"code": 0"],"server_logic":"[record-dag-name]!='augusta'"}, ode":["80"],"server_logic":"[record-dag- me]!='musc'"}]
196	[pat_biii2_24]	2. ED visit date		t (date_mdy)
	Show the field ONLY if: [pat_biii2_23]!="	mm-dd-yyyy	Cu	stom alignment: RV
197	7 [pat_biii3_24] Show the field ONLY if: [pat_biii2_23]!="	3. Reason of ED visit is VOE		Yes No
			Cu	stom alignment: RV
198	B [pat_biii4_24] Show the field ONLY if: [pat_biii2_23]!="	4. Time of arrival hh:mm		t (time) stom alignment: RV
199	p [pat_biii5_24] Show the field ONLY if: [pat_biii2_23]!="	5. Time of first opioid administration hh:mm		t (time) stom alignment: RV
200	[pat_biii6_24] Show the field ONLY if: [pat_biii2_23]!="	6. Admission	2	Yes No stom alignment: RV

201	[pat_biii1_25]	Visit 25	radi	0
	Show the field ONLY if:	1 FD visited	10	Methodist University Hospital
	[pat_biii2_24]!="	1. ED visited	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			Field ["10 {"co- nam dag- ["40 nam dag- [recc- ["70 {"co-	tom alignment: LV d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude""}, de":["20"],"server_logic":"[record-dag-ne]!='duke"],{"code":["30"],"server_logic":"[record-name]!='chicago"],{"code": "[record-dag-name]!='ucsf"],{"code":["50"],"server_logic":"[record-name]!='mt_sinai"],{"code":["60"],"server_logic":"ord-dag-name]!='washu"],{"code": "],"server_logic":"],"server_logic":"[record-dag-name]!='augusta'"], de":["80"],"server_logic":"[record-dag-name]!='musc'"]]
202	[pat_biii2_25] Show the field ONLY if: [pat_biii2_24]!="	2. ED visit date mm-dd-yyyy	l l	(date_mdy) tom alignment: RV
203		3. Reason of ED visit is VOE	radi	0
203	Show the field ONLY if:	3. Reason of ED visit is VOL		Yes
	[pat_biii2_24]!="		2	
				<u> </u>
			Cust	tom alignment: RV
204	[pat_biii4_25]	4. Time of arrival		(time)
	Show the field ONLY if: [pat_biii2_24]!="	m.mn	Cusi	tom alignment: RV
205	[pat_biii5_25]	5. Time of first opioid administration hh:mm		(time)
	Show the field ONLY if: [pat_biii2_24]!="		Cusi	tom alignment: RV
206	[pat_biii6_25]	6. Admission	radi	
	Show the field ONLY if: [pat_biii2_24]!="		2	Yes No
			Cust	tom alignment: RV
207	[pat_biii_total_voe] Show the field ONLY if: [pat_biii2_25]!="	Total number of ED VOE visits - 12 months prior to enrollment	text	(number, Min: 25)

	208	<pre>[pat_biii_calc_total_voe]</pre>	Total number of ED VOE visits - 12 months prior to enrollment (Calculated)	calc Calculation: if([pat_biii3_1]='1',1, 0) + if([pat_biii3_2]='1',1, 0)+ if([pat_biii3_3]='1',1, 0)+ if([pat_biii3_4]='1',1, 0)+ if([pat_biii3_5]='1',1, 0)+ if([pat_biii3_6]='1',1, 0)+ if([pat_biii3_7]='1',1, 0)+ if([pat_biii3_8]='1',1, 0)+ if([pat_biii3_9]='1',1, 0)+ if([pat_biii3_10]='1',1, 0)+ if([pat_biii3_11]='1',1, 0)+ if([pat_biii3_12]='1',1, 0)+ if([pat_biii3_13]='1',1, 0)+ if([pat_biii3_14]='1',1, 0)+ if([pat_biii3_15]='1',1, 0)+ if([pat_biii3_16]='1',1, 0)+ if([pat_biii3_17]='1',1, 0)+ if([pat_biii3_20]='1',1, 0)+ if([pat_biii3_21]='1',1, 0)+ if([pat_biii3_22]='1',1, 0)+ if([pat_biii3_23]='1',1, 0)+ if([pat_biii3_24]='1',1, 0)+ if([pat_biii3_23]='1',1, 0)+ if([pat_biii3_24]='1',1, 0)+ if([pat_biii3_25]='1',1, 0)+ if([snumber([pat_biii_total_hosp]),[pat_biii_total_voe], 0) Field Annotation: @HIDDEN
	209	[pat_biii_total_hosp] Show the field ONLY if: [pat_biii2_25]!="	Total number of hospitalizations - 12 months prior to enrollment	text (number, Min: 25)
	210	<pre>[pat_biii_calc_total_hosp]</pre>	Total number of hospitalizations - 12 months prior to enrollment (Calculated)	calc Calculation: if([pat_biii2_1]!=",1, 0) + if([pat_biii2_2]!=",1, 0)+ if([pat_biii2_3]!=",1, 0)+ if([pat_biii2_4]!=",1, 0)+ if([pat_biii2_5]!=",1, 0)+ if([pat_biii2_6]!=",1, 0)+ if([pat_biii2_7]!=",1, 0)+ if([pat_biii2_8]!=",1, 0)+ if([pat_biii2_9]!=",1, 0)+ if([pat_biii2_10]!=",1, 0)+ if([pat_biii2_11]!=",1, 0)+ if([pat_biii2_12]!=",1, 0)+ if([pat_biii2_13]!=",1, 0)+ if([pat_biii2_14]!=",1, 0)+ if([pat_biii2_15]!=",1, 0)+ if([pat_biii2_16]!=",1, 0)+ if([pat_biii2_17]!=",1, 0)+ if([pat_biii2_18]!=",1, 0)+ if([pat_biii2_21]!=",1, 0)+ if([pat_biii2_20]!=",1, 0)+ if([pat_biii2_23]!=",1, 0)+ if([pat_biii2_24]!=",1, 0)+ if([pat_biii2_25]!=",1, 0)+ if([snumber([pat_biii_total_hosp]), [pat_biii_total_hosp], 0) Field Annotation: @HIDDEN
	211	<pre>[patient_information_comple te]</pre>	Section Header: Form Status Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete
Inst	rume	nt: Patient Survey Baseli	ne (patient_survey_baseline) 🛂 Enabled as survey	
	212	[pat_sd1]	Section Header: Survey SetupPlease complete this section and save the form before sending the survey to the patient What date did the ED Visit occur? mm-dd-yyyy	text (date_mdy) Field Annotation: @HIDDEN-SURVEY

213	[pat_sd2]	What Emergency Department was visited?	radi	0
			10	Methodist University Hospital
			20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			Field ["10 {"coo nam dag- ["40 nam dag- [recc ["70 {"coo	com alignment: LV If Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude""}, de":["20"],"server_logic":"[record-dag- le!]='duke""},{"code":["30"],"server_logic":"[record- lename]!='chicago""},{"code": ","41","42","43","44"],"server_logic":"[record-dag- le!]='ucsf""},{"code":["50"],"server_logic":"[record- lename]!='mt_sinai""},{"code":["60"],"server_logic":" pord-dag-name]!='washu""},{"code": "],"server_logic":"[record-dag- le!='musc""}]
214	[pat_d1]	Section Header: Please answer the questions below about your emergency department (ED) pain crisis visits at [pat_sd2] during your most recent ED visit on [pat_sd1]. Check only one (1) answer for each		o (Matrix) Not at all
		question. 1. Were you satisfied with the care you received?	\vdash	A little bit Somewhat
			4	Quite a bit
			5	Very much
215	[pat_d2]	How much were the emergency room doctors and nurses able to help your pain?	1 2 3 4	o (Matrix) Not at all A little bit Somewhat Quite a bit Very much
216	[pat_d3]	3. How much did the emergency room doctors and nurses believe that you had very bad sickle cell pain?	1 2 3 4	o (Matrix) Not at all A little bit Somewhat Quite a bit Very much

	217	<pre>[pat_d4] [patient_survey_baseline_complete]</pre>	Section Header: Please answer the questions about the pain plan. Select one (1) answer for each question. About the pain plan 4. On a scale of 1-7, how well do you know how to use the EHR (Electronic Health Record; e.g., My Chart) to access your medical record? (1 = does not know at all, 7 = extremely well) Section Header: Form Status Complete?	radio (Matrix) 1
				2 Complete
Ins	trume	nt: Patient Survey: 96 Ho	urs Follow-Up (patient_survey_96_hours_followup)	₤ ☐ Enabled as survey
	219	[pat_se1]	Section Header: Survey Setup Please complete this section and save the form before sending the survey to the patient What date did the ED Visit occur? mm-dd-yyyy	text (date_mdy) Field Annotation: @HIDDEN-SURVEY
	220	[pat_se2]	What Emergency Department was visited?	radio
				10 Methodist University Hospital
				20 Duke University Hospital Emergency Department
				30 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
				40 UCSF Children's Oakland ED
				41 UCSF Children's Mission Bay ED
				42 UCSF Parnassus ED
				43 UCSF Zuckerberg San Francisco General Hospital ED
				44 UC Davis
				50 The Mount Sinai Hospital Emergency Department
				60 Barnes Hospital
				70 Augusta University Medical Center Emergency Department
				80 MUSC Emergency Department
				Custom alignment: LV Field Annotation: @HIDE-CHOICE-WHEN=[{"code": ["10"],"server_logic":"[record-dag-name]!='st_jude""}, {"code":["20"],"server_logic":"[record-dag-name]!='duke""},{"code": ["30"],"server_logic":"[record-dag-name]!='chicago"],{"code": ["40","41","42","43","44"],"server_logic":"[record-dag-name]!='mt_sinai""},{"code": ["60"],"server_logic":" [record-dag-name]!='washu""},{"code": ["70"],"server_logic":" [record-dag-name]!='augusta'"}, {"code": ["80"],"server_logic": [record-dag-name]!='musc""}]
	221	[pat_e1]	Section Header: Please answer the questions below about your last emergency department (ED) visit because of a pain crisis at [pat_se2] on [pat_se1]. 1. Were you satisfied with the care you received?	radio (Matrix) 1 Not at all 2 A little bit 3 Somewhat 4 Quite a bit 5 Very much

		T	
22	2 [pat_e2]	2. How much were the ED doctors and nurses able to help your pain?	radio (Matrix) 1 Not at all 2 A little bit 3 Somewhat 4 Quite a bit 5 Very much
22	3 [pat_e3]	3. How much did the ED doctors and nurses believe that you had very bad sickle cell pain?	radio (Matrix) 1 Not at all 2 A little bit 3 Somewhat 4 Quite a bit 5 Very much
22	4 [pat_e4]	Section Header: Please answer the questions about the pain plan. Select (1) answer for each question. About the pain plan 4. On a scale of 1-7, how well do you know how to use the EHR (Electronic Health Record; e.g., My Chart) to access your medical record? (1 = does not know at all, 7 = extremely well)	radio (Matrix) 1
22	5 [pat_e5]	5. On a scale of 1-7, how easy was it to find your pain plan in the portal? (1 = I tried and could not find it, 7 = extremely easy)	radio (Matrix) 1
22	6 [pat_e6]	6. On a scale of 1-7, how helpful was the pain plan in helping you get the pain treatment you needed? (1 = not at all, 7 = excellent)	radio (Matrix) 1
22	7 [pat_e7]	7. On a scale of 1-7, if you go to the ED again, how likely are you to show the doctors your pain plan? [Text entry for reason]	radio (Matrix) 1
22	8 [pat_e8a]	Section Header: Please answer the statements about the pain plan. Select one (1) answer. 8. For your experiences during your recent ED visit, please select yes/no/not sure for the following: My doctor pulled my pain plan from the computer.	radio (Matrix) 1 Yes 2 No 3 Not Sure

	229	[pat_e8b]	I reminded my doctor that I had a pain plan in the system.	radio (Matrix) 1 Yes 2 No 3 Not Sure
	230	<pre>[pat_e8c]</pre>	I showed my doctor my pain plan with my phone.	radio (Matrix) 1 Yes 2 No 3 Not Sure
	231	<pre>[patient_survey_96_hours_fo llowup_complete]</pre>	Section Header: Form Status Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete
Inst	rume	nt: Patient Information:	12 Month Follow_up (patient_information_12_month	follow_up)
	232	[pat_biv1_1]	Section Header: IV. End of implementation EHR retrieval data (12 months after enrollment, VOE visits, enrolled patients)	radio
			Visit 1	10 Methodist University Hospital
			1. ED visited	20 Duke University Hospital Emergency Department
				30 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
				40 UCSF Children's Oakland ED
				41 UCSF Children's Mission Bay ED
				42 UCSF Parnassus ED
				43 UCSF Zuckerberg San Francisco General Hospital ED
				44 UC Davis
				50 The Mount Sinai Hospital Emergency Department
				60 Barnes Hospital
				70 Augusta University Medical Center Emergency Department
				80 MUSC Emergency Department
				Custom alignment: LV Field Annotation: @HIDE-CHOICE-WHEN=[{"code": ["10"],"server_logic":"[record-dag-name]!='st_jude""}, {"code":["20"],"server_logic":"[record-dag-name]!='duke""},{"code":["30"],"server_logic":"[record-dag-name]!='chicago""},{"code": ["40","41","42","44","server_logic":"[record-dag-name]!='ucsf"'],{"code":["50"],"server_logic":"[record-dag-name]!='mt_sinai""},{"code":["60"],"server_logic":" [record-dag-name]!='washu'"},{"code": ["70"],"server_logic":" [record-dag-name]!='augusta'"}, {"code":["80"],"server_logic":"[record-dag-name]!='musc'"}]
	233	[pat_biv2_1]	2. ED visit date mm-dd-yyyy	text (date_mdy) Custom alignment: LV
	234	[pat_biv3_1]	3. Reason of ED visit is VOE	radio 1 Yes 2 No Custom alignment: LV
	235	[nat hiv4 1]	4. Time of arrival (24 hour clock with date format)	
	233	[pat_biv4_1]	4. Time of arrival (24 nour clock with date format) mm-dd-yyyy hh:mm	text (datetime_mdy) Custom alignment: LV

23	6 [pat_biv5_1]	5. Time of first opioid administration (24 hour clock with date format) mm-dd-yyyy hh:mm	text (datetime_mdy) Custom alignment: LV
23	7 [pat_biv5aa_1]	5a. Pain management data, first dose a. Drug name	radio 1 Morphine sulfate 2 Hydromorphone 3 Fentanyl 4 Other Custom alignment: RV
23	8 [pat_biv5aaoth_1] Show the field ONLY if: [pat_biv5aa_1] = '4'	Other, please specify	text Custom alignment: RV
23	9 [pat_biv5ab_1]	b. Drug dose	text (number, Min: 1, Max: 999) Custom alignment: RV
24	0 [pat_biv5ac_1]	c. Drug unit	radio 1 mg 2 mcg
24	<pre>1 [pat_biv5ad_1_other]</pre>	Drug Route: Other	text
24	2 [pat_biv5ad_1]	d. Drug route	radio 1 Intravenous 2 Intramuscular 3 Subcutaneous 4 Oral 5 Intranasal fentanyl 99 Other: {pat_biv5ad_1_other}
24	3 [pat_biv6_1]	6. Admission	radio 1 Yes 2 No Custom alignment: LV

244	[pat_biv1_2]	Visit 2	radi	0
	Show the field ONLY if:		10 Methodist University Hospital	
	[pat_biv2_1]!="	1. ED visited	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			Field ["10 {"cool nam dag- ["40 nam dag- [recc ["70 {"cool	tom alignment: LV d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude"'}, de":["20"],"server_logic":"[record-dag- ne]!='duke"'},{"code":["30"],"server_logic":"[recordname]!='chicago"'},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf"'},{"code":["50"],"server_logic":"[record- name]!='mt_sinai"'},{"code":["60"],"server_logic":" ord-dag-name]!='washu'"},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc'"}]
245	[pat_biv2_2] Show the field ONLY if: [pat_biv2_1]!="	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: LV
246	[pat_biv3_2] Show the field ONLY if: [pat_biv2_1]!="	3. Reason of ED visit is VOE	2	Yes
247	[pat_biv4_2] Show the field ONLY if: [pat_biv2_1]!="	4. Time of arrival (24 hour clock with date format) mm-dd-yyyy hh:mm	text	(datetime_mdy) tom alignment: LV
248	[pat_biv5_2] Show the field ONLY if: [pat_biv2_1]!="	5. Time of first opioid administration (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
249	[pat_biv5aa_2]	5a. Pain management data, first dosae	radi	
	Show the field ONLY if: [pat_biv2_1]!="	a. Drug name	2 3 4	Morphine sulfate Hydromorphone Fentanyl Other tom alignment: RV
250	[pat_biv5aaoth_2] Show the field ONLY if: [pat_biv5aa_2] = '4'	Other, please specify	text Cust	tom alignment: RV

	E1 From history 21	h Drug doco	tout (number Min 1 May 000)
	51 [pat_biv5ab_2]	b. Drug dose	text (number, Min: 1, Max: 999) Custom alignment: RV
	Show the field ONLY if: [pat_biv2_1]!="		
2	52 [pat_biv5ac_2]	c. Drug unit	radio
	Show the field ONLY if:		1 mg
	[pat_biv2_1]!="		2 mcg
2	53 [pat_biv5ad_2_other]	Drug Route: Other	text
2.	54 [pat_biv5ad_2]	d. Drug route	radio
	Show the field ONLY if:		1 Intravenous
	[pat_biv2_1]!="		2 Intramuscular
			3 Subcutaneous
			4 Oral
			5 Intranasal fentanyl
			99 Other: {pat_biv5ad_2_other}
2	55 [pat_biv6_2]	6. Admission	radio
	Show the field ONLY if:		1 Yes
	[pat_biv2_1]!="		2 No
			Custom alignment: LV
2	56 [pat_biv1_3]	Visit 3	radio
	Show the field ONLY if:	1. ED visited	10 Methodist University Hospital
	[pat_biv2_2]!="	1. Eb visiced	20 Duke University Hospital Emergency Department
			30 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40 UCSF Children's Oakland ED
			41 UCSF Children's Mission Bay ED
			42 UCSF Parnassus ED
			43 UCSF Zuckerberg San Francisco General
			Hospital ED
			44 UC Davis
			50 The Mount Sinai Hospital Emergency Department
			60 Barnes Hospital
			70 Augusta University Medical Center Emergency Department
			80 MUSC Emergency Department
			Custom alignment: LV Field Annotation: @HIDE-CHOICE-WHEN=[{"code": ["10"],"server_logic":"[record-dag-name]!='st_jude""}, {"code":["20"],"server_logic":"[record-dag-name]!='duke""},{"code":["30"],"server_logic":"[record-dag-name]!='chicago""},{"code": ["40","41","42","43","44"],"server_logic":"[record-dag-name]!='ucsf""},{"code":["50"],"server_logic":"[record-dag-name]!='mt_sinai""},{"code":["60"],"server_logic":" [record-dag-name]!='washu""},{"code": ["70"],"server_logic":"[record-dag-name]!='augusta'"}, {"code":["80"],"server_logic":"[record-dag-name]!='musc'"}]
2	57 [pat_biv2_3]	2. ED visit date	text (date_mdy)
	Show the field ONLY if:	mm-dd-yyyy	Custom alignment: LV
	[pat_biv2_2]!="		
	1		<u>l</u>

<u> </u>	1		T	1
	258	[pat_biv3_3] Show the field ONLY if: [pat_biv2_2]!="	3. Reason of ED visit is VOE	radio 1 Yes 2 No Custom alignment: LV
:	259	[pat_biv4_3] Show the field ONLY if: [pat_biv2_2]!="	4. Time of arrival (24 hour clock with date format) mm-dd-yyyy hh:mm	text (datetime_mdy) Custom alignment: LV
	260	[pat_biv5_3] Show the field ONLY if: [pat_biv2_2]!="	5. Time of first opioid administration (24 hour clock with date format) mm-dd-yyyy hh:mm	text (datetime_mdy) Custom alignment: LV
	261	[pat_biv5aa_3] Show the field ONLY if: [pat_biv2_2]!="	5a. Pain management data, first dosae a. Drug name	radio 1 Morphine sulfate 2 Hydromorphone 3 Fentanyl 4 Other Custom alignment: RV
	262	[pat_biv5aaoth_3] Show the field ONLY if: [pat_biv5aa_3] = '4'	Other, please specify	text Custom alignment: RV
	263	[pat_biv5ab_3] Show the field ONLY if: [pat_biv2_2]!="	b. Drug dose	text (number, Min: 1, Max: 999) Custom alignment: RV
	264	[pat_biv5ac_3] Show the field ONLY if: [pat_biv2_2]!="	c. Drug unit	radio 1 mg 2 mcg
	265	[pat_biv5ad_3_other]	Drug Route: Other	text
	266	[pat_biv5ad_3] Show the field ONLY if: [pat_biv2_2]!="	d. Drug route	radio 1 Intravenous 2 Intramuscular 3 Subcutaneous 4 Oral 5 Intranasal fentanyl 99 Other: {pat_biv5ad_3_other}
	267	[pat_biv6_3] Show the field ONLY if: [pat_biv2_2]!="	6. Admission	radio 1 Yes 2 No Custom alignment: LV

	268	[pat_biv1_4]	Visit 4	radi	0
	-00	Show the field ONLY if:			Methodist University Hospital
		[pat_biv2_3]!="	1. ED visited	20	Duke University Hospital Emergency Department
				30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
				40	UCSF Children's Oakland ED
				41	UCSF Children's Mission Bay ED
				42	UCSF Parnassus ED
				43	UCSF Zuckerberg San Francisco General Hospital ED
				44	UC Davis
				50	The Mount Sinai Hospital Emergency Department
				60	Barnes Hospital
				70	Augusta University Medical Center Emergency Department
				80	MUSC Emergency Department
				Field ["10 {"cool nam dag- ["40 nam dag- [recc ["70 {"cool	tom alignment: LV d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude"'}, de":["20"],"server_logic":"[record-dag- ne]!='duke"'},{"code":["30"],"server_logic":"[recordname]!='chicago'"},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf"'},{"code":["50"],"server_logic":"[record- name]!='mt_sinai"'},{"code":["60"],"server_logic":" ord-dag-name]!='washu'"},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc'"}]
2	269	[pat_biv2_4] Show the field ONLY if:	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: LV
		[pat_biv2_3]!="	2. December of FD visit is VOF	المحملة.	
	270	[pat_biv3_4] Show the field ONLY if: [pat_biv2_3]!="	3. Reason of ED visit is VOE	1 2	Yes
				Cust	tom alignment: LV
2	271	[pat_biv4_4] Show the field ONLY if: [pat_biv2_3]!="	4. Time of arrival (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
2	272	[pat_biv5_4] Show the field ONLY if: [pat_biv2_3]!="	5. Time of first opioid administration (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
2	273	[pat_biv5aa_4]	5a. Pain management data, first dosae	radi	0
		Show the field ONLY if: [pat_biv2_3]!="	a. Drug name	2 3 4	Morphine sulfate Hydromorphone Fentanyl Other tom alignment: RV
2	274	[pat_biv5aaoth_4] Show the field ONLY if: [pat_biv5aa_4] = '4'	Other, please specify	text Cust	tom alignment: RV

275	[pat_biv5ab_4] Show the field ONLY if: [pat_biv2_3]!="	b. Drug dose	text (number, Min: 1, Max: 999) Custom alignment: RV
276	1	c. Drug unit	radio 1 mg 2 mcg
277	[pat_biv5ad_4_other]	Drug Route: Other	text
278	[pat_biv5ad_4]	d. Drug route	radio
	Show the field ONLY if: [pat_biv2_3]!="		1 Intravenous 2 Intramuscular 3 Subcutaneous 4 Oral 5 Intranasal fentanyl 99 Other: {pat_biv5ad_4_other}
279	[pat_biv6_4] Show the field ONLY if: [pat_biv2_3]!="	6. Admission	radio 1 Yes 2 No Custom alignment: LV
280	[pat_biv1_5]	Visit 5	radio
	Show the field ONLY if:	1. ED visited	10 Methodist University Hospital
	[pat_biv2_4]!="	1. ED Visited	20 Duke University Hospital Emergency Department
			30 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40 UCSF Children's Oakland ED
			41 UCSF Children's Mission Bay ED
			42 UCSF Parnassus ED
			43 UCSF Zuckerberg San Francisco General Hospital ED
			44 UC Davis
			50 The Mount Sinai Hospital Emergency Department
			60 Barnes Hospital
			70 Augusta University Medical Center Emergency Department
			80 MUSC Emergency Department
			Custom alignment: LV Field Annotation: @HIDE-CHOICE-WHEN=[{"code": ["10"],"server_logic":"[record-dag-name]!='st_jude""},
281	[pat_biv2_5] Show the field ONLY if: [pat_biv2_4]!="	2. ED visit date mm-dd-yyyy	text (date_mdy) Custom alignment: LV

202	Front his 2 F3	2 Passan of ED visit is VOE	radio
282	[pat_biv3_5]	3. Reason of ED visit is VOE	radio 1 Yes
	Show the field ONLY if: [pat_biv2_4]!="		
	[pat_biv2_4]:=		2 No
			Custom alignment: LV
283	[pat_biv4_5]	4. Time of arrival (24 hour clock with date format)	text (datetime_mdy)
	Show the field ONLY if: [pat_biv2_4]!="	mm-dd-yyyy hh:mm	Custom alignment: LV
284	[pat_biv5_5]	5. Time of first opioid administration (24 hour clock with	text (datetime_mdy)
	Show the field ONLY if:	date format)	Custom alignment: LV
	[pat_biv2_4]!="	mm-dd-yyyy hh:mm	
285	[pat_biv5aa_5]	5a. Pain management data, first dosae	radio
	Show the field ONLY if:		1 Morphine sulfate
	[pat_biv2_4]!="	a. Drug name	2 Hydromorphone
			3 Fentanyl
			4 Other
			4 Other
			Custom alignment: RV
286	[pat_biv5aaoth_5]	Other, please specify	text
	Show the field ONLY if:		Custom alignment: RV
	[pat_biv5aa_5] = '4'		
287	[pat_biv5ab_5]	b. Drug dose	text (number, Min: 1, Max: 999)
	Show the field ONLY if: [pat_biv2_4]!="		Custom alignment: RV
288	[pat_biv5ac_5]	c. Drug unit	radio
	Show the field ONLY if:		1 mg
	[pat_biv2_4]!="		2 mcg
289	[pat_biv5ad_5_other]	Drug Route: Other	text
290	[pat_biv5ad_5]	d. Drug route	radio
	Show the field ONLY if:		1 Intravenous
	[pat_biv2_4]!="		2 Intramuscular
			3 Subcutaneous
			4 Oral
			5 Intranasal fentanyl
			99 Other: {pat_biv5ad_5_other}
291	[pat_biv6_5]	6. Admission	radio
	Show the field ONLY if:		1 Yes
	[pat_biv2_4]!="		2 No
			Custom eliginare entrity
			Custom alignment: LV

20	92 [pat_biv1_6]	Visit 6	radi	
	Show the field ONLY if:			Methodist University Hospital
	[pat_biv2_5]!="	1. ED visited	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			Field ["10 {"co nam dag ["40 nam dag [rec ["70 {"co	tom alignment: LV d Annotation: @HIDE-CHOICE-WHEN=[{"code": p"],"server_logic":"[record-dag-name]!='st_jude"'}, de":["20"],"server_logic":"[record-dag-ne]!='duke"'},{"code":["30"],"server_logic":"[record-name]!='chicago"'},{"code": p","41","42","43","44"],"server_logic":"[record-dag-ne]!='ucsf"'},{"code":["50"],"server_logic":"[record-name]!='mt_sinai"'},{"code":["60"],"server_logic":"[ord-dag-name]!='washu"'},{"code": p"],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag-name]!='musc'"}]
25	[pat_biv2_6] Show the field ONLY if:	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: LV
20	[pat_biv2_5]!=" [pat_biv3_6]	3. Reason of ED visit is VOE	radi	10
2	Show the field ONLY if: [pat_biv2_5]!="	S. Reason of ED visit is VOL	1	Yes No
			Cus	tom alignment: LV
25	[pat_biv4_6] Show the field ONLY if: [pat_biv2_5]!="	4. Time of arrival (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
29	[pat_biv5_6] Show the field ONLY if: [pat_biv2_5]!="	5. Time of first opioid administration (24 hour clock with date format) mm-dd-yyyy hh:mm		: (datetime_mdy) tom alignment: LV
25	97 [pat_biv5aa_6]	5a. Pain management data, first dosae	radi	io
	Show the field ONLY if: [pat_biv2_5]!="	a. Drug name	2 3 4	Morphine sulfate Hydromorphone Fentanyl Other tom alignment: RV
29	[pat_biv5aaoth_6] Show the field ONLY if: [pat_biv5aa_6] = '4'	Other, please specify	text Cus	: tom alignment: RV

299	[pat_biv5ab_6] Show the field ONLY if: [pat_biv2_5]!="	b. Drug dose	text (number, Min: 1, Max: 999) Custom alignment: RV
300	[pat_biv5ac_6] Show the field ONLY if: [pat_biv2_5]!="	c. Drug unit	radio 1 mg 2 mcg
301	[pat_biv5ad_6_other]	Drug Route: Other	text
302	[pat_biv5ad_6]	d. Drug route	radio
	Show the field ONLY if: [pat_biv2_5]!="		1 Intravenous 2 Intramuscular 3 Subcutaneous 4 Oral 5 Intranasal fentanyl
			99 Other: {pat_biv5ad_6_other}
303	[pat_biv6_6] Show the field ONLY if: [pat_biv2_5]!="	6. Admission	radio 1 Yes 2 No Custom alignment: LV
304	[pat_biv1_7]	Visit 7	radio
	Show the field ONLY if:	1. ED visited	10 Methodist University Hospital
	[pat_biv2_6]!="	T. ED VISILEO	20 Duke University Hospital Emergency Department
			30 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40 UCSF Children's Oakland ED
			41 UCSF Children's Mission Bay ED
			42 UCSF Parnassus ED
			43 UCSF Zuckerberg San Francisco General Hospital ED
			44 UC Davis
			50 The Mount Sinai Hospital Emergency Department
			60 Barnes Hospital
			70 Augusta University Medical Center Emergency Department
			80 MUSC Emergency Department
			Custom alignment: LV Field Annotation: @HIDE-CHOICE-WHEN=[{"code": ["10"],"server_logic":"[record-dag-name]!='st_jude""}, {"code":["20"],"server_logic":"[record-dag-name]!='duke""},("code": ["30"],"server_logic":"[record-dag-name]!='chicago""},{"code": ["40","41","42","43","44"],"server_logic":"[record-dag-name]!='ucsf""},{"code":["50"],"server_logic":"[record-dag-name]!='m_sinai""},("code":["60"],"server_logic":" [record-dag-name]!='washu'"},("code": ["70"],"server_logic":" [record-dag-name]!='augusta'"}, {"code":["80"],"server_logic":"[record-dag-name]!='augusta'"}, ame]!='musc""}]
305	[pat_biv2_7] Show the field ONLY if: [pat_biv2_6]!="	2. ED visit date mm-dd-yyyy	text (date_mdy) Custom alignment: LV

206	5 11:273	2 Paggar of ED visit is VOE	va dia
306	[pat_biv3_7]	3. Reason of ED visit is VOE	radio
	Show the field ONLY if: [pat_biv2_6]!="		1 Yes
	[pat_bivz_o]:-		2 No
			Custom alignment: LV
307	[pat_biv4_7]	4. Time of arrival (24 hour clock with date format)	text (datetime_mdy)
	Show the field ONLY if: [pat_biv2_6]!="	mm-dd-yyyy hh:mm	Custom alignment: LV
308	[pat_biv5_7]	5. Time of first opioid administration (24 hour clock with	text (datetime_mdy)
	Show the field ONLY if: [pat_biv2_6]!="	date format) mm-dd-yyyy hh:mm	Custom alignment: LV
309	[pat_biv5aa_7]	5a. Pain management data, first dosae	radio
	Show the field ONLY if:		1 Morphine sulfate
	[pat_biv2_6]!="	a. Drug name	2 Hydromorphone
			3 Fentanyl
			4 Other
			4 Other
			Custom alignment: RV
310	[pat_biv5aaoth_7]	Other, please specify	text
	Show the field ONLY if:		Custom alignment: RV
	[pat_biv5aa_7] = '4'		
311	[pat_biv5ab_7]	b. Drug dose	text (number, Min: 1, Max: 999) Custom alignment: RV
	Show the field ONLY if: [pat_biv2_6]!="		Custom angriment. NV
312	[pat_biv5ac_7]	c. Drug unit	radio
	Show the field ONLY if:		1 mg
	[pat_biv2_6]!="		2 mcg
313	<pre>[pat_biv5ad_7_other]</pre>	Drug Route: Other	text
314	[pat_biv5ad_7]	d. Drug route	radio
	Show the field ONLY if:		1 Intravenous
	[pat_biv2_6]!="		2 Intramuscular
			3 Subcutaneous
			4 Oral
			5 Intranasal fentanyl
			99 Other: {pat_biv5ad_7_other}
315		6. Admission	radio
	Show the field ONLY if:		1 Yes
	[pat_biv2_6]!="		2 No
			Custom alignment: LV
			Custom angument. Lv

316	[pat_biv1_8]	Visit 8	radi	0
	Show the field ONLY if:			Methodist University Hospital
	[pat_biv2_7]!="	1. ED visited	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			Field ["10 {"cool nam dag- ["40 nam dag- [recc ["70 {"cool	tom alignment: LV d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude""}, de":["20"],"server_logic":"[record-dag- ne]!='duke""},{"code":["30"],"server_logic":"[recordname]!='chicago""},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf""},{"code":["50"],"server_logic":"[recordname]!='mt_sinai""},{"code":["60"],"server_logic":" ord-dag-name]!='washu""},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc""}]
317	[pat_biv2_8] Show the field ONLY if:	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: LV
318	[pat_biv2_7]!=" [pat_biv3_8]	3. Reason of ED visit is VOE	radi	0
310	Show the field ONLY if: [pat_biv2_7]!="	3. Reason of LD visit is vol		Yes
			Cust	tom alignment: LV
319	[pat_biv4_8] Show the field ONLY if:	4. Time of arrival (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
220	[pat_biv2_7]!="	E Time of first opioid administration (2.4 hours do do 1)	4	(datatima mdu)
320	[pat_biv5_8] Show the field ONLY if: [pat_biv2_7]!="	5. Time of first opioid administration (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
321	[pat_biv5aa_8]	5a. Pain management data, first dosae	radi	0
	Show the field ONLY if: [pat_biv2_7]!="	a. Drug name	2 3 4	Morphine sulfate Hydromorphone Fentanyl Other tom alignment: RV
322	[pat_biv5aaoth_8] Show the field ONLY if: [pat_biv5aa_8] = '4'	Other, please specify	text Cust	tom alignment: RV

323	[pat_biv5ab_8] Show the field ONLY if: [pat_biv2_7]!="	b. Drug dose	text (number, Min: 1, Max: 999) Custom alignment: RV
324	[pat_biv5ac_8] Show the field ONLY if: [pat_biv2_7]!="	c. Drug unit	radio 1 mg 2 mcg
325	[pat_biv5ad_8_other]	Drug Route: Other	text
326	[pat_biv5ad_8]	d. Drug route	radio
	Show the field ONLY if: [pat_biv2_7]!="		1 Intravenous 2 Intramuscular
			3 Subcutaneous
			4 Oral
			5 Intranasal fentanyl
			99 Other: {pat_biv5ad_8_other}
327	[pat_biv6_8]	6. Admission	radio
	Show the field ONLY if: [pat_biv2_7]!="		1 Yes
	[pat_blv2_7]!-		2 No
			Custom alignment: LV
328	[pat_biv1_9]	Visit 9	radio
	Show the field ONLY if:		10 Methodist University Hospital
	[pat_biv2_8]!="	1. ED visited	20 Duke University Hospital Emergency Department
			30 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40 UCSF Children's Oakland ED
			41 UCSF Children's Mission Bay ED
			42 UCSF Parnassus ED
			43 UCSF Zuckerberg San Francisco General Hospital ED
			44 UC Davis
			50 The Mount Sinai Hospital Emergency Department
			60 Barnes Hospital
			70 Augusta University Medical Center Emergency Department
			80 MUSC Emergency Department
			Custom alignment: LV Field Annotation: @HIDE-CHOICE-WHEN=[{"code": ["10"],"server_logic":"[record-dag-name]!='st_jude"], {"code":["20"],"server_logic":"[record-dag- name]!='duke"],{"code":["30"],"server_logic":"[record-dag-name]!='chicago"],{"code": ["40","41","42","43","44"],"server_logic":"[record-dag-name]!='ucsf""],{"code":["50"],"server_logic":"[record-dag-name]!='mt_sinai"],{"code":["60"],"server_logic":" [record-dag-name]!='washu'"],{"code": ["70"],"server_logic":"[record-dag-name]!='augusta'"], {"code":["80"],"server_logic":"[record-dag-name]!='augusta'"], {"code":["80"],"server_logic":"[record-dag-name]!='augusta'"], {"code":["80"],"server_logic":"[record-dag-name]!='augusta'"],
329	[pat_biv2_9]	2. ED visit date	text (date_mdy)
	Show the field ONLY if: [pat_biv2_8]!="	mm-dd-yyyy	Custom alignment: LV

220	Inst hiv2 01	2 Pageon of ED visit is VOE	radio
330	[pat_biv3_9]	3. Reason of ED visit is VOE	radio 1 Yes
	Show the field ONLY if: [pat_biv2_8]!="		
	[pat_blv2_o];=		2 No
			Custom alignment: LV
331	[pat_biv4_9]	4. Time of arrival (24 hour clock with date format)	text (datetime_mdy)
	Show the field ONLY if: [pat_biv2_8]!="	mm-dd-yyyy hh:mm	Custom alignment: LV
332	[pat_biv5_9]	5. Time of first opioid administration (24 hour clock with	text (datetime_mdy)
	Show the field ONLY if:	date format)	Custom alignment: LV
	[pat_biv2_8]!="	mm-dd-yyyyy hh:mm	
333	[pat_biv5aa_9]	5a. Pain management data, first dosae	radio
	Show the field ONLY if:		1 Morphine sulfate
	[pat_biv2_8]!="	a. Drug name	2 Hydromorphone
			3 Fentanyl
			4 Other
			4 Other
			Custom alignment: RV
334	[pat_biv5aaoth_9]	Other, please specify	text
	Show the field ONLY if:	ς τους, μεσιού εμεσιού, μεσιού εμεσιού μεσιού μεσιού εμεσιού μεσιού εμεσιού μεσιού μεσιού μεσιού μεσιού μεσιού	Custom alignment: RV
	[pat_biv5aa_9] = '4'		
335	[pat_biv5ab_9]	b. Drug dose	text (number, Min: 1, Max: 999)
	Show the field ONLY if:		Custom alignment: RV
	[pat_biv2_8]!="		
336	[pat_biv5ac_9]	c. Drug unit	radio
	Show the field ONLY if:		1 mg
	[pat_biv2_8]!="		2 mcg
337	[pat_biv5ad_9_other]	Drug Route: Other	text
338	[pat_biv5ad_9]	d. Drug route	radio
	Show the field ONLY if:		1 Intravenous
	[pat_biv2_8]!="		2 Intramuscular
			3 Subcutaneous
			4 Oral
			5 Intranasal fentanyl
			99 Other: {pat_biv5ad_9_other}
339	[pat_biv6_9]	6. Admission	radio
	Show the field ONLY if:		1 Yes
	[pat_biv2_8]!="		2 No
			Custom alignment: LV

340	[pat_biv1_10]	Visit 10	radi	0
5.0	Show the field ONLY if:			Methodist University Hospital
	[pat_biv2_9]!="	1. ED visited	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			Field ["10 {"coo nam dag- ["40 nam dag- [reco ["70 {"coo	tom alignment: LV d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude""}, de":["20"],"server_logic":"[record-dag- ne]!='duke"],{"code":["30"],"server_logic":"[record- name]!='chicago"],{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf"],{"code":["50"],"server_logic":"[record- name]!='mt_sinai"],{"code":["60"],"server_logic":" ord-dag-name]!='washu'"],{"code": "],"server_logic":"[record-dag-name]!='augusta'"], de":["80"],"server_logic":"[record-dag- ne]!='musc'"]]
341	[pat_biv2_10] Show the field ONLY if:	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: LV
342	[pat_biv2_9]!=" [pat_biv3_10]	3. Reason of ED visit is VOE	radi	0
3 12	Show the field ONLY if:	S. Reason of ED Visit is VOE		Yes
	[pat_biv2_9]!="		2	No
				
				tom alignment: LV
343	[pat_biv4_10]	4. Time of arrival (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
	Show the field ONLY if: [pat_biv2_9]!="			-
344	[pat_biv5_10]	5. Time of first opioid administration (24 hour clock with	text	(datetime_mdy)
	Show the field ONLY if: [pat_biv2_9]!="	date format) mm-dd-yyyy hh:mm	Cust	tom alignment: LV
345	[pat_biv5aa_10]	5a. Pain management data, first dosae	radi	
	Show the field ONLY if:	a. Drug name	-	Morphine sulfate
	[pat_biv2_9]!="	_	l ⊢ +	Hydromorphone
			l 	Fentanyl
			4	Other
			Cust	tom alignment: RV
346	[pat_biv5aaoth_10] Show the field ONLY if:	Other, please specify	text	
	[pat_biv5aa_10] = '4'			

Sho [pat] 348 [pat] Sho [pat] 349 [pat] 350 [pat] Sho [pat] 351 [pat] Sho [pat] 352 [pat] Sho [pat]	now the field ONLY if: at_biv2_9]!=" at_biv5ac_10] now the field ONLY if: at_biv2_9]!=" at_biv5ad_10_other]	c. Drug unit Drug Route: Other d. Drug route	text (number, Min: 1, Max: 999) Custom alignment: RV radio 1 mg 2 mcg text radio 1 Intravenous 2 Intramuscular 3 Subcutaneous 4 Oral 5 Intranasal fentanyl
[pat] 348 [pat] 349 [pat] 350 [pat] 350 [pat] 351 [pat] Sho [pat] 352 [pat] Sho	at_biv2_9]!=" at_biv5ac_10] now the field ONLY if: at_biv2_9]!=" at_biv5ad_10_other] now the field ONLY if: at_biv5ad_10] now the field ONLY if: at_biv2_9]!="	Drug Route: Other	radio 1 mg 2 mcg text radio 1 Intravenous 2 Intramuscular 3 Subcutaneous 4 Oral
349 [pat 350 [pat Sho	now the field ONLY if: at_biv2_9]!=" at_biv5ad_10_other] at_biv5ad_10] now the field ONLY if: at_biv2_9]!="	Drug Route: Other	1 mg 2 mcg text radio 1 Intravenous 2 Intramuscular 3 Subcutaneous 4 Oral
349 [pat 350 [pat 350] 351 [pat 351] 352 [pat 5ho	at_biv2_9]!=" at_biv5ad_10_other] at_biv5ad_10] now the field ONLY if: at_biv2_9]!="		text radio 1 Intravenous 2 Intramuscular 3 Subcutaneous 4 Oral
349 [pat 350 [pat 350]	at_biv5ad_10_other] at_biv5ad_10] now the field ONLY if: at_biv2_9]!="		text radio 1 Intravenous 2 Intramuscular 3 Subcutaneous 4 Oral
350 [pat Sho	oat_biv5ad_10] now the field ONLY if: at_biv2_9]!="		radio 1 Intravenous 2 Intramuscular 3 Subcutaneous 4 Oral
351 [pat Sho [pat Sho	iow the field ONLY if: at_biv2_9]!="	d. Drug route	1 Intravenous 2 Intramuscular 3 Subcutaneous 4 Oral
351 [pat Sho [pat Sho	at_biv2_9]!="		2 Intramuscular 3 Subcutaneous 4 Oral
351 [pat Sho [pat Sho			3 Subcutaneous 4 Oral
Sho [pat	at_biv6_10]		4 Oral
Sho [pat	at_biv6_10]		
Sho [pat	at_biv6_10]		5 Intranacal fontanyl
Sho [pat	at_biv6_10]		
Sho [pat	at_biv6_10]		99 Other: {pat_biv5ad_10_other}
Sho [pat		6. Admission	radio
352 [pat	low the field ONLY if:		1 Yes
Sho	at_biv2_9]!="		2 No
Sho			
Sho			Custom alignment: LV
	at_biv1_11]	Visit 11	radio
	low the field ONLY if:	4 FD sisted	10 Methodist University Hospital
[pat	at_biv2_10]!="	1. ED visited	20 Duke University Hospital Emergency Department
			30 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40 UCSF Children's Oakland ED
			41 UCSF Children's Mission Bay ED
			42 UCSF Parnassus ED
			43 UCSF Zuckerberg San Francisco General Hospital ED
			44 UC Davis
			50 The Mount Sinai Hospital Emergency Department
			60 Barnes Hospital
			70 Augusta University Medical Center Emergency Department
			80 MUSC Emergency Department
			Custom alignment: LV Field Annotation: @HIDE-CHOICE-WHEN=[{"code": ["10"], "server_logic":"[record-dag-name]!='st_jude""}, {"code":["20"], "server_logic":"[record-dag-name]!='duke""}, {"code":["30"], "server_logic":"[record-dag-name]!='chicago"], {"code": ["40", "41", "42", "44"], "server_logic":"[record-dag-name]!='ucsf""}, {"code":["50"], "server_logic":"[record-dag-name]!='mt_sinai""}, {"code":["60"], "server_logic":"[record-dag-name]!='mt_sinai""}, {"code":["60"], "server_logic":"[record-dag-name]!='musci""}, {"code": ["70"], "server_logic":"[record-dag-name]!='augusta'"}, {"code":["80"], "server_logic":"[record-dag-name]!='musci""}]
353 [pat			T .
Sho [pat	at_biv2_11]	2. ED visit date	text (date_mdy)

 1			1
354	[pat_biv3_11] Show the field ONLY if: [pat_biv2_10]!="	3. Reason of ED visit is VOE	radio 1 Yes 2 No Custom alignment: LV
355	[pat_biv4_11] Show the field ONLY if: [pat_biv2_10]!="	4. Time of arrival (24 hour clock with date format) mm-dd-yyyy hh:mm	text (datetime_mdy) Custom alignment: LV
356	[pat_biv5_11] Show the field ONLY if: [pat_biv2_10]!="	5. Time of first opioid administration (24 hour clock with date format) mm-dd-yyyy hh:mm	text (datetime_mdy) Custom alignment: LV
357	[pat_biv5aa_11] Show the field ONLY if: [pat_biv2_10]!="	5a. Pain management data, first dosae a. Drug name	radio 1 Morphine sulfate 2 Hydromorphone 3 Fentanyl 4 Other Custom alignment: RV
358	[pat_biv5aaoth_11] Show the field ONLY if: [pat_biv5aa_11] = '4'	Other, please specify	text Custom alignment: RV
359	[pat_biv5ab_11] Show the field ONLY if: [pat_biv2_10]!="	b. Drug dose	text (number, Min: 1, Max: 999) Custom alignment: RV
360	[pat_biv5ac_11] Show the field ONLY if: [pat_biv2_10]!="	c. Drug unit	radio 1 mg 2 mcg
361	[pat_biv5ad_11_other]	Drug Route: Other	text
362	[pat_biv5ad_11] Show the field ONLY if: [pat_biv2_10]!="	d. Drug route	radio 1 Intravenous 2 Intramuscular 3 Subcutaneous 4 Oral 5 Intranasal fentanyl 99 Other: {pat_biv5ad_11_other}
363	[pat_biv6_11] Show the field ONLY if: [pat_biv2_10]!="	6. Admission	radio 1 Yes 2 No Custom alignment: LV

364	[pat_biv1_12]	Visit 12	radi	0
	Show the field ONLY if:			Methodist University Hospital
	[pat_biv2_11]!="	1. ED visited	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			Field ["10 {"conam dag- ["40 nam dag- [reconam ["70 {"con	tom alignment: LV d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude"'}, de":["20"],"server_logic":"[record-dag- ne]!='duke"],{"code":["30"],"server_logic":"[recordname]!='chicago'"],{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf"'],{"code":["50"],"server_logic":"[recordname]!='mt_sinai""},{"code":["60"],"server_logic":" ord-dag-name]!='washu'"],{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc'"}]
365	[pat_biv2_12] Show the field ONLY if: [pat_biv2_11]!="	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: LV
366		3. Reason of ED visit is VOE	radi	0
	Show the field ONLY if: [pat_biv2_11]!="		1 2	Yes No
			Cust	tom alignment: LV
367	[pat_biv4_12] Show the field ONLY if: [pat_biv2_11]!="	4. Time of arrival (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
368		5. Time of first opioid administration (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
369	[pat_biv5aa_12]	5a. Pain management data, first dosae	radi	0
	Show the field ONLY if: [pat_biv2_11]!="	a. Drug name	2 3 4	Morphine sulfate Hydromorphone Fentanyl Other tom alignment: RV
370	[pat_biv5aaoth_12] Show the field ONLY if: [pat_biv5aa_12] = '4'	Other, please specify	text Cust	tom alignment: RV

371	[pat_biv5ab_12] Show the field ONLY if:	b. Drug dose	text (number, Min: 1, Max: 999) Custom alignment: RV
	[pat_biv2_11]!="		
372	[pat_biv5ac_12]	c. Drug unit	radio
	Show the field ONLY if: [pat_biv2_11]!="		1 mg
	[pat_biv2_11]:-		2 mcg
373	[pat_biv5ad_12_other]	Drug Route: Other	text
374	[pat_biv5ad_12]	d. Drug route	radio
	Show the field ONLY if: [pat_biv2_11]!="		1 Intravenous
	[ματ_Βίν2_11]:-		2 Intramuscular
			3 Subcutaneous 4 Oral
			5 Intranasal fentanyl
			99 Other: {pat_biv5ad_12_other}
375	[pat_biv6_12]	6. Admission	radio
	Show the field ONLY if: [pat_biv2_11]!="		1 Yes 2 No
	[pat_51v2_11].		2 NO
			Custom alignment: LV
376	[pat_biv1_13]	Visit 13	radio
	Show the field ONLY if:	1. ED visited	10 Methodist University Hospital
	[pat_biv2_12]!="		20 Duke University Hospital Emergency Department
			30 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40 UCSF Children's Oakland ED
			41 UCSF Children's Mission Bay ED
			42 UCSF Parnassus ED
			43 UCSF Zuckerberg San Francisco General Hospital ED
			44 UC Davis
			50 The Mount Sinai Hospital Emergency Department
			60 Barnes Hospital
			70 Augusta University Medical Center Emergency Department
			80 MUSC Emergency Department
			Custom alignment: LV Field Annotation: @HIDE-CHOICE-WHEN=[{"code": ["10"],"server_logic":"[record-dag-name]!='st_jude""}, {"code":["20"],"server_logic":"[record-dag-name]!='duke"'},{"code":["30"],"server_logic":"[record-dag-name]!='chicago"'},{"code": ["40","41","42","43","44"],"server_logic":"[record-dag-name]!='ucsf"'},{"code":["50"],"server_logic":"[record-dag-name]!='mt_sinai"'},{"code":["60"],"server_logic":"[record-dag-name]!='washu'"},{"code": ["70"],"server_logic":"[record-dag-name]!='augusta'"}, {"code":["80"],"server_logic":"[record-dag-name]!='musc""}]
377	[pat_biv2_13]	2. ED visit date	text (date_mdy)
	Show the field ONLY if: [pat_biv2_12]!="	mm-dd-yyyy	Custom alignment: LV

270	Fact 15:02 423	2 Pageon of FD visit is VOF	radio
378	[pat_biv3_13]	3. Reason of ED visit is VOE	radio
	Show the field ONLY if: [pat_biv2_12]!="		1 Yes
	[pat_biv2_12]:-		2 No
			Custom alignment: LV
379	[pat_biv4_13]	4. Time of arrival (24 hour clock with date format)	text (datetime_mdy)
	Show the field ONLY if: [pat_biv2_12]!="	mm-dd-yyyy hh:mm	Custom alignment: LV
380	[pat_biv5_13]	5. Time of first opioid administration (24 hour clock with	text (datetime_mdy)
	Show the field ONLY if: [pat_biv2_12]!="	date format) mm-dd-yyyy hh:mm	Custom alignment: LV
381	[pat_biv5aa_13]	5a. Pain management data, first dosae	radio
	Show the field ONLY if:		1 Morphine sulfate
	[pat_biv2_12]!="	a. Drug name	2 Hydromorphone
			3 Fentanyl
			4 Other
			T Gard
			Custom alignment: RV
382	[pat_biv5aaoth_13]	Other, please specify	text
	Show the field ONLY if:		Custom alignment: RV
	[pat_biv5aa_13] = '4'		
383	[pat_biv5ab_13]	b. Drug dose	text (number, Min: 1, Max: 999)
	Show the field ONLY if: [pat_biv2_12]!="		Custom alignment: RV
384	[pat_biv5ac_13]	c. Drug unit	radio
	Show the field ONLY if:		1 mg
	[pat_biv2_12]!="		2 mcg
385	[pat_biv5ad_13_other]	Drug Route: Other	text
386	[pat_biv5ad_13]	d. Drug route	radio
	Show the field ONLY if:		1 Intravenous
	[pat_biv2_12]!="		2 Intramuscular
			3 Subcutaneous
			4 Oral
			5 Intranasal fentanyl
			99 Other: {pat_biv5ad_13_other}
207	Frank have 123	6 Admission	
387	[pat_biv6_13]	6. Admission	radio 1 Yes
	Show the field ONLY if: [pat_biv2_12]!="		
	[pat_blvz_1z]:-		2 No
			Custom alignment: LV
		1	

388	[pat_biv1_14]	Visit 14	radi	0
	Show the field ONLY if:			Methodist University Hospital
	[pat_biv2_13]!="	1. ED visited	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			Field ["10 {"cornam dag- ["40 nam dag- [recc ["70 {"cor	tom alignment: LV d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude"'}, de":["20"],"server_logic":"[record-dag- ne]!='duke"],{"code":["30"],"server_logic":"[recordname]!='chicago"],{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf"],{"code":["50"],"server_logic":"[record- name]!='mt_sinai"],{"code":["60"],"server_logic":" ord-dag-name]!='washu'"],{"code": "],"server_logic":"[record-dag-name]!='augusta'"], de":["80"],"server_logic":"[record-dag- ne]!='musc'"]]
389	[pat_biv2_14] Show the field ONLY if: [pat_biv2_13]!="	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: LV
390	[pat_biv3_14]	3. Reason of ED visit is VOE	radi	0
	Show the field ONLY if: [pat_biv2_13]!="		1 2	
			Cust	tom alignment: LV
391	[pat_biv4_14] Show the field ONLY if: [pat_biv2_13]!="	4. Time of arrival (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
392	[pat_biv5_14] Show the field ONLY if: [pat_biv2_13]!="	5. Time of first opioid administration (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
393	[pat_biv5aa_14]	5a. Pain management data, first dosae	radi	0
	Show the field ONLY if: [pat_biv2_13]!="	a. Drug name	2 3 4	Morphine sulfate Hydromorphone Fentanyl Other tom alignment: RV
394	[pat_biv5aaoth_14] Show the field ONLY if: [pat_biv5aa_14] = '4'	Other, please specify	text Cust	tom alignment: RV

395	[pat_biv5ab_14] Show the field ONLY if: [pat_biv2_13]!="	b. Drug dose	text (number, Min: 1, Max: 999) Custom alignment: RV
396	[pat_biv5ac_14] Show the field ONLY if: [pat_biv2_13]!="	c. Drug unit	radio 1 mg 2 mcg
397	[pat_biv5ad_14_other]	Drug Route: Other	text
398	[pat_biv5ad_14]	d. Drug route	radio
	Show the field ONLY if:		1 Intravenous
	[pat_biv2_13]!="		2 Intramuscular
			3 Subcutaneous
			4 Oral
			5 Intranasal fentanyl
			99 Other: {pat_biv5ad_14_other}
399	[pat_biv6_14]	6. Admission	radio
	Show the field ONLY if:		1 Yes
	[pat_biv2_13]!="		2 No
			Custom alignment: LV
400	[pat biv1 15]	Visit 15	radio
	Show the field ONLY if:		10 Methodist University Hospital
	[pat_biv2_14]!="	1. ED visited	20 Duke University Hospital Emergency Department
			30 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40 UCSF Children's Oakland ED
			41 UCSF Children's Mission Bay ED
			42 UCSF Parnassus ED
			43 UCSF Zuckerberg San Francisco General Hospital ED
			44 UC Davis
			50 The Mount Sinai Hospital Emergency Department
			60 Barnes Hospital
			70 Augusta University Medical Center Emergency Department
			80 MUSC Emergency Department
			Custom alignment: LV Field Annotation: @HIDE-CHOICE-WHEN=[{"code": ["10"],"server_logic":"[record-dag-name]!='st_jude""}, {"code":["20"],"server_logic":"[record-dag-name]!='duke""},{"code":["30"],"server_logic":"[record-dag-name]!='chicago""},{"code": ["40","41","42","43","44"],"server_logic":"[record-dag-name]!='ucsf""},{"code":["50"],"server_logic":"[record-dag-name]!='mt_sinai""},{"code":["60"],"server_logic":" [record-dag-name]!='washu""},{"code": ["70"],"server_logic":"[record-dag-name]!='augusta'"}, {"code":["80"],"server_logic":"[record-dag-name]!='musc'"}]
401	[pat_biv2_15] Show the field ONLY if: [pat_biv2_14]!="	2. ED visit date mm-dd-yyyy	text (date_mdy) Custom alignment: LV

	T		
402	[pat_biv3_15] Show the field ONLY if: [pat_biv2_14]!="	3. Reason of ED visit is VOE	radio 1 Yes 2 No
			Custom alignment: LV
403	[pat_biv4_15] Show the field ONLY if: [pat_biv2_14]!="	4. Time of arrival (24 hour clock with date format) mm-dd-yyyy hh:mm	text (datetime_mdy) Custom alignment: LV
404	[pat_biv5_15] Show the field ONLY if: [pat_biv2_14]!="	5. Time of first opioid administration (24 hour clock with date format) mm-dd-yyyy hh:mm	text (datetime_mdy) Custom alignment: LV
405	[pat_biv5aa_15] Show the field ONLY if: [pat_biv2_14]!="	5a. Pain management data, first dosae a. Drug name	radio 1 Morphine sulfate 2 Hydromorphone 3 Fentanyl 4 Other Custom alignment: RV
406	[pat_biv5aaoth_15] Show the field ONLY if: [pat_biv5aa_15] = '4'	Other, please specify	text Custom alignment: RV
407	[pat_biv5ab_15] Show the field ONLY if: [pat_biv2_14]!="	b. Drug dose	text (number, Min: 1, Max: 999) Custom alignment: RV
408	[pat_biv5ac_15] Show the field ONLY if: [pat_biv2_14]!="	c. Drug unit	radio 1 mg 2 mcg
409	[pat_biv5ad_15_other]	Drug Route: Other	text
410	[pat_biv5ad_15] Show the field ONLY if: [pat_biv2_14]!="	d. Drug route	radio 1 Intravenous 2 Intramuscular 3 Subcutaneous 4 Oral 5 Intranasal fentanyl 99 Other: {pat_biv5ad_15_other}
411	[pat_biv6_15] Show the field ONLY if: [pat_biv2_14]!="	6. Admission	radio 1 Yes 2 No Custom alignment: LV

412	[pat_biv1_16]	Visit 16	radi	0
	Show the field ONLY if:	1 FD dained	10	Methodist University Hospital
	[pat_biv2_15]!="	1. ED visited	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			Field ["10 {"cool nam dag- ["40 nam dag- [recc ["70 {"cool	tom alignment: LV d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude"'}, de":["20"],"server_logic":"[record-dag- ne]!='duke"'},{"code":["30"],"server_logic":"[recordname]!='chicago"'},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf"'},{"code":["50"],"server_logic":"[record- name]!='mt_sinai"'},{"code":["60"],"server_logic":" ord-dag-name]!='washu'"},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc'"}]
413	[pat_biv2_16] Show the field ONLY if: [pat_biv2_15]!="	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: LV
414	[pat_biv3_16]	3. Reason of ED visit is VOE	radio	0
	Show the field ONLY if: [pat_biv2_15]!="	51.100561.61.22.153.15.162	1 2	Yes
			Cust	tom alignment: LV
415	[pat_biv4_16]	4. Time of arrival (24 hour clock with date format)		(datetime_mdy)
	Show the field ONLY if: [pat_biv2_15]!="	mm-dd-yyyy hh:mm		tom alignment: LV
416	[pat_biv5_16] Show the field ONLY if: [pat_biv2_15]!="	5. Time of first opioid administration (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
417	[pat_biv5aa_16]	5a. Pain management data, first dosae	radi	0
	Show the field ONLY if: [pat_biv2_15]!="	a. Drug name	2 3 4	Morphine sulfate Hydromorphone Fentanyl Other tom alignment: RV
418	[pat_biv5aaoth_16] Show the field ONLY if: [pat_biv5aa_16] = '4'	Other, please specify	text Cust	tom alignment: RV

419	[pat_biv5ab_16] Show the field ONLY if: [pat_biv2_15]!="	b. Drug dose	text (number, Min: 1, Max: 999) Custom alignment: RV
420	1	c. Drug unit	radio 1 mg 2 mcg
421	[pat_biv5ad_16_other]	Drug Route: Other	text
422	[pat_biv5ad_16]	d. Drug route	radio
	Show the field ONLY if: [pat_biv2_15]!="		1 Intravenous 2 Intramuscular 3 Subcutaneous 4 Oral
			5 Intranasal fentanyl 99 Other: {pat_biv5ad_16_other}
423	[pat_biv6_16] Show the field ONLY if: [pat_biv2_15]!="	6. Admission	radio 1 Yes 2 No Custom alignment: LV
424	[pat_biv1_17]	Visit 17	radio
	Show the field ONLY if:	1. ED visited	10 Methodist University Hospital
	[pat_biv2_16]!="	1. LD Visited	20 Duke University Hospital Emergency Department
			30 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40 UCSF Children's Oakland ED
			41 UCSF Children's Mission Bay ED
			42 UCSF Parnassus ED
			43 UCSF Zuckerberg San Francisco General Hospital ED
			44 UC Davis
			50 The Mount Sinai Hospital Emergency Department
			60 Barnes Hospital
			70 Augusta University Medical Center Emergency Department
			80 MUSC Emergency Department
			Custom alignment: LV Field Annotation: @HIDE-CHOICE-WHEN=[{"code": ["10"],"server_logic":"[record-dag-name]!='st_jude""}, {"code":["20"],"server_logic":"[record-dag-name]!='duke"],{"code":["30"],"server_logic":"[record-dag-name]!='chicago"],{"code": ["40","41","42","43","44"],"server_logic":"[record-dag-name]!='ucsf"],{"code":["50"],"server_logic":"[record-dag-name]!='mt_sinai"]},{"code":["60"],"server_logic":" [record-dag-name]!='washu"],{"code": ["70"],"server_logic":"[record-dag-name]!='augusta'"], {"code":["80"],"server_logic":"[record-dag-name]!='musc""}]
425	[pat_biv2_17] Show the field ONLY if: [pat_biv2_16]!="	2. ED visit date mm-dd-yyyy	text (date_mdy) Custom alignment: LV

426	[pat_biv3_17]	3. Reason of ED visit is VOE	radio
420	Show the field ONLY if:	3. Nedadii di Eb visicis vol	1 Yes
	[pat_biv2_16]!="		2 No
			Custom alignment: LV
427	[pat_biv4_17]	4. Time of arrival (24 hour clock with date format)	text (datetime_mdy)
	Show the field ONLY if: [pat_biv2_16]!="	mm-dd-yyyy hh:mm	Custom alignment: LV
428	[pat_biv5_17]	5. Time of first opioid administration (24 hour clock with	text (datetime_mdy)
	Show the field ONLY if: [pat_biv2_16]!="	date format) mm-dd-yyyy hh:mm	Custom alignment: LV
429	[pat_biv5aa_17]	5a. Pain management data, first dosae	radio
	Show the field ONLY if:	a. Drug name	1 Morphine sulfate
	[pat_biv2_16]!="	a. Drug hame	2 Hydromorphone
			3 Fentanyl
			4 Other
			Custom alignment: RV
430	[pat_biv5aaoth_17]	Other, please specify	text Custom alignment: RV
	Show the field ONLY if: [pat_biv5aa_17] = '4'		Coston angrintena (V
431	[pat_biv5ab_17]	b. Drug dose	text (number, Min: 1, Max: 999)
	Show the field ONLY if: [pat_biv2_16]!="		Custom alignment: RV
432	[pat_biv5ac_17]	c. Drug unit	radio
	Show the field ONLY if:		1 mg
	[pat_biv2_16]!="		2 mcg
433	[pat_biv5ad_17_other]	Drug Route: Other	text
434	[pat_biv5ad_17]	d. Drug route	radio
	Show the field ONLY if:		1 Intravenous
	[pat_biv2_16]!="		2 Intramuscular
			3 Subcutaneous
			4 Oral
			5 Intranasal fentanyl
			99 Other: {pat_biv5ad_17_other}
435	[pat_biv6_17]	6. Admission	radio
	Show the field ONLY if:		1 Yes
	[pat_biv2_16]!="		2 No
			Custom alignment: LV

436	[pat_biv1_18]	Visit 18	radi	0
430	Show the field ONLY if:	VISIT TO		Methodist University Hospital
	[pat_biv2_17]!="	1. ED visited	-	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			Field ["10 {"coon namedag- ["40 namedag- [recoon ["70 {"coon	tom alignment: LV d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude"'}, de":["20"],"server_logic":"[record-dag- ne]!='duke"'},{"code":["30"],"server_logic":"[record- name]!='chicago"'},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf"'},{"code":["50"],"server_logic":"[record- name]!='mt_sinai"'},{"code":["60"],"server_logic":" ord-dag-name]!='washu'"},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc'"}]
437	[pat_biv2_18] Show the field ONLY if: [pat_biv2_17]!="	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: LV
438	[pat_biv3_18] Show the field ONLY if: [pat_biv2_17]!="	3. Reason of ED visit is VOE	2	Yes
439	[pat_biv4_18]	4. Time of arrival (24 hour clock with date format)		(datetime_mdy)
	Show the field ONLY if: [pat_biv2_17]!="	mm-dd-yyyy hh:mm		tom alignment: LV
440	[pat_biv5_18] Show the field ONLY if: [pat_biv2_17]!="	5. Time of first opioid administration (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
441	[pat_biv5aa_18]	5a. Pain management data, first dosae	radio	0
	Show the field ONLY if:			Morphine sulfate
	[pat_biv2_17]!="	a. Drug name	2	Hydromorphone
			3	Fentanyl
			4	Other
				tone alignment DV
440	F	Other place marif.		tom alignment: RV
442	[pat_biv5aaoth_18] Show the field ONLY if: [pat_biv5aa_18] = '4'	Other, please specify	text Cust	tom alignment: RV

443	[pat_biv5ab_18] Show the field ONLY if: [pat_biv2_17]!="	b. Drug dose	text (number, Min: 1, Max: 999) Custom alignment: RV
444	[pat_biv5ac_18] Show the field ONLY if: [pat_biv2_17]!="	c. Drug unit	radio 1 mg 2 mcg
445	[pat_biv5ad_18_other]	Drug Route: Other	text
446	[pat_biv5ad_18]	d. Drug route	radio
	Show the field ONLY if: [pat_biv2_17]!="		1 Intravenous 2 Intramuscular 3 Subcutaneous 4 Oral
			5 Intranasal fentanyl 99 Other: {pat_biv5ad_18_other}
447	[pat_biv6_18] Show the field ONLY if: [pat_biv2_17]!="	6. Admission	radio 1 Yes 2 No Custom alignment: LV
448	[pat_biv1_19]	Visit 19	radio
	Show the field ONLY if:		10 Methodist University Hospital
	[pat_biv2_18]!="	1. ED visited	20 Duke University Hospital Emergency Department
			30 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40 UCSF Children's Oakland ED
			41 UCSF Children's Mission Bay ED
			42 UCSF Parnassus ED
			43 UCSF Zuckerberg San Francisco General Hospital ED
			44 UC Davis
			50 The Mount Sinai Hospital Emergency Department
			60 Barnes Hospital
			70 Augusta University Medical Center Emergency Department
			80 MUSC Emergency Department
			Custom alignment: LV Field Annotation: @HIDE-CHOICE-WHEN=[{"code": ["10"],"server_logic":"[record-dag-name]!='st_jude""}, {"code":["20"],"server_logic":"[record-dag-name]!='duke""},{"code":["30"],"server_logic":"[record-dag-name]!='duke"],{"code": ["40","41","42","43","44"],"server_logic":"[record-dag-name]!='ucsf""},{"code":["50"],"server_logic":"[record-dag-name]!='mt_sinai""},{"code":["60"],"server_logic":" [record-dag-name]!='augusta'"}, {"code":["80"],"server_logic":"[record-dag-name]!='augusta'"}, {"code":["80"],"server_logic":"[record-dag-name]!='nusc'"}]
449	[pat_biv2_19] Show the field ONLY if: [pat_biv2_18]!="	2. ED visit date mm-dd-yyyy	text (date_mdy) Custom alignment: LV

450	[pat_biv3_19]	3. Reason of ED visit is VOE	radio
.50	Show the field ONLY if:	5. Neass., 6. 22 Niskis 162	1 Yes
	[pat_biv2_18]!="		2 No
			Custom alignment: LV
451	[pat_biv4_19]	4. Time of arrival (24 hour clock with date format) mm-dd-yyyy hh:mm	text (datetime_mdy) Custom alignment: LV
	Show the field ONLY if: [pat_biv2_18]!="	min-uu yyyy minim	Custom angliment. Lv
452	[pat_biv5_19]	5. Time of first opioid administration (24 hour clock with	text (datetime_mdy)
	Show the field ONLY if: [pat_biv2_18]!="	date format) mm-dd-yyyy hh:mm	Custom alignment: LV
453	[pat_biv5aa_19]	5a. Pain management data, first dosae	radio
	Show the field ONLY if:	a. Drug name	1 Morphine sulfate
	[pat_biv2_18]!=''		2 Hydromorphone
			3 Fentanyl
			4 Other
			Custom alignment: RV
454	[pat_biv5aaoth_19]	Other, please specify	text
434	Show the field ONLY if:	Other, please specify	Custom alignment: RV
	[pat_biv5aa_19] = '4'		
455	[pat_biv5ab_19]	b. Drug dose	text (number, Min: 1, Max: 999)
	Show the field ONLY if: [pat_biv2_18]!="		Custom alignment: RV
456	[pat_biv5ac_19]	c. Drug unit	radio
	Show the field ONLY if:		1 mg
	[pat_biv2_18]!="		2 mcg
457	[pat_biv5ad_19_other]	Drug Route: Other	text
458	[pat_biv5ad_19]	d. Drug route	radio
	Show the field ONLY if:		1 Intravenous
	[pat_biv2_18]!=''		2 Intramuscular
			3 Subcutaneous
			4 Oral
			5 Intranasal fentanyl
			99 Other: {pat_biv5ad_19_other}
459	[pat_biv6_19]	6. Admission	radio
	Show the field ONLY if:		1 Yes
	[pat_biv2_18]!="		2 No
			Custom alignment: LV
			Custom anginnent. Ly

46	0 [pat_biv1_20]	Visit 20	radi	0
	Show the field ONLY if:			Methodist University Hospital
	[pat_biv2_19]!="	1. ED visited	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			Field ["10 {"con nam dag- ["40 nam dag- [recon ["70 {"con	tom alignment: LV d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude""}, de":["20"],"server_logic":"[record-dag- ne]!='duke""},{"code":["30"],"server_logic":"[recordname]!='chicago""},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf""},{"code":["50"],"server_logic":"[recordname]!='mt_sinai""},{"code":["60"],"server_logic":" ord-dag-name]!='washu""},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc""}]
46	Show the field ONLY if:	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: LV
46	[pat_biv2_19]!="	3. Reason of ED visit is VOE	radi	
40	2 [pat_biv3_20] Show the field ONLY if: [pat_biv2_19]!="	3. Reason of ED visit is VOE		Yes
			Cust	tom alignment: LV
46	Show the field ONLY if: [pat_biv2_19]!="	4. Time of arrival (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
46	Show the field ONLY if: [pat_biv2_19]!="	5. Time of first opioid administration (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
46	5 [pat_biv5aa_20]	5a. Pain management data, first dosae	radi	0
	Show the field ONLY if: [pat_biv2_19]!="	a. Drug name	2 3 4	Morphine sulfate Hydromorphone Fentanyl Other tom alignment: RV
46	5 [pat_biv5aaoth_20] Show the field ONLY if: [pat_biv5aa_20] = '4'	Other, please specify	text Cust	tom alignment: RV

46	7 [pat_biv5ab_20]	b. Drug dose	text (number, Min: 1, Max: 999) Custom alignment: RV
	Show the field ONLY if: [pat_biv2_19]!="		Custom angriment. NV
46	B [pat_biv5ac_20]	c. Drug unit	radio
	Show the field ONLY if:		1 mg
	[pat_biv2_19]!="		2 mcg
46	pat_biv5ad_20_other]	Drug Route: Other	text
47) [pat_biv5ad_20]	d. Drug route	radio
	Show the field ONLY if: [pat_biv2_19]!="		1 Intravenous
	[pat_biv2_19]:-		2 Intramuscular
			3 Subcutaneous
			4 Oral 5 Intranasal fentanyl
			5 Intranasal fentanyl 99 Other: {pat_biv5ad_20_other}
47	,	6. Admission	radio 1 Yes
	Show the field ONLY if: [pat_biv2_19]!="		2 No
			2 100
			Custom alignment: LV
47	2 [pat_biv1_21]	Visit 21	radio
	Show the field ONLY if:	1. ED visited	10 Methodist University Hospital
	[pat_biv2_19]!="		20 Duke University Hospital Emergency Department
			30 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40 UCSF Children's Oakland ED
			41 UCSF Children's Mission Bay ED
			42 UCSF Parnassus ED
			43 UCSF Zuckerberg San Francisco General Hospital ED
			44 UC Davis
			50 The Mount Sinai Hospital Emergency Department
			60 Barnes Hospital
			70 Augusta University Medical Center Emergency Department
			80 MUSC Emergency Department
			Custom alignment: LV Field Annotation: @HIDE-CHOICE-WHEN=[{"code": ["10"],"server_logic":"[record-dag-name]!='st_jude"], {"code":["20"],"server_logic":"[record-dag-name]!='duke"],{"code":["30"],"server_logic":"[record-dag-name]!='chicago'"],{"code": ["40","41","42","43","44"],"server_logic":"[record-dag-name]!='ucsf"],{"code":["50"],"server_logic":"[record-dag-name]!='mt_sinai"],{"code":["60"],"server_logic":" [record-dag-name]!='washu'"],{"code": ["70"],"server_logic":"[record-dag-name]!='augusta'"], {"code":["80"],"server_logic":"[record-dag-name]!='musc'"]]
47	3 [pat_biv2_21]	2. ED visit date	text (date_mdy)
	Show the field ONLY if: [pat_biv2_19]!="	mm-dd-yyyy	Custom alignment: LV

474	[pat_biv3_21]	3. Reason of ED visit is VOE	radio
	Show the field ONLY if:		1 Yes
	[pat_biv2_19]!="		2 No
			Custom alignment: LV
475	[pat_biv4_21]	4. Time of arrival (24 hour clock with date format) mm-dd-yyyy hh:mm	text (datetime_mdy)
	Show the field ONLY if: [pat_biv2_19]!="	тип-ии-уууу ин.тип	Custom alignment: LV
476	[pat_biv5_21]	5. Time of first opioid administration (24 hour clock with	text (datetime_mdy)
	Show the field ONLY if: [pat_biv2_19]!="	date format) mm-dd-yyyy hh:mm	Custom alignment: LV
477	[pat_biv5aa_21]	5a. Pain management data, first dosae	radio
	Show the field ONLY if:	a. Drug name	1 Morphine sulfate
	[pat_biv2_19]!="	a. Di ug name	2 Hydromorphone
			3 Fentanyl
			4 Other
			Custom alignment: RV
478	[pat_biv5aaoth_21]	Other, please specify	text Custom alignment: RV
	Show the field ONLY if: [pat_biv5aa_21] = '4'		Custom alignment. KV
479	[pat_biv5ab_21]	b. Drug dose	text (number, Min: 1, Max: 999)
	Show the field ONLY if: [pat_biv2_19]!="		Custom alignment: RV
480	[pat_biv5ac_21]	c. Drug unit	radio
	Show the field ONLY if:		1 mg
	[pat_biv2_19]!="		2 mcg
481	[pat_biv5ad_21_other]	Drug Route: Other	text
482	[pat_biv5ad_21]	d. Drug route	radio
	Show the field ONLY if:		1 Intravenous
	[pat_biv2_19]!="		2 Intramuscular
			3 Subcutaneous
			4 Oral
			5 Intranasal fentanyl
			99 Other: {pat_biv5ad_21_other}
483	[pat_biv6_21]	6. Admission	radio
	Show the field ONLY if:		1 Yes
	[pat_biv2_19]!="		2 No
			Custom alignment: LV

48	4 [pat_biv1_22]	Visit 22	radi	0
	Show the field ONLY if:			Methodist University Hospital
	[pat_biv2_21]!="	1. ED visited	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			Field ["10 {"con nam dag- ["40 nam dag- [recon ["70 {"con	tom alignment: LV d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude"'}, de":["20"],"server_logic":"[record-dag- ne]!='duke"'},{"code":["30"],"server_logic":"[recordname]!='chicago'"},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf"'},{"code":["50"],"server_logic":"[recordname]!='mt_sinai"'},{"code":["60"],"server_logic":" ord-dag-name]!='washu'"},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc'"}]
48	5 [pat_biv2_22] Show the field ONLY if: [pat_biv2_21]!="	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: LV
48	6 [pat_biv3_22]	3. Reason of ED visit is VOE	radi	0
	Show the field ONLY if: [pat_biv2_21]!="			Yes
			Cust	tom alignment: LV
48	Show the field ONLY if:	4. Time of arrival (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
40	[pat_biv2_21]!="	E. Time of first epicid administration (2.4 hours deals with	to::t	(datatima mdv)
48	Show the field ONLY if: [pat_biv2_21]!="	5. Time of first opioid administration (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
48	9 [pat_biv5aa_22]	5a. Pain management data, first dosae	radi	0
	Show the field ONLY if: [pat_biv2_21]!="	a. Drug name	2 3 4	Morphine sulfate Hydromorphone Fentanyl Other tom alignment: RV
49	pat_biv5aaoth_22] Show the field ONLY if: [pat_biv5aa_22] = '4'	Other, please specify	text	tom alignment: RV

491	[pat_biv5ab_22] Show the field ONLY if:	b. Drug dose	text (number, Min: 1, Max: 999) Custom alignment: RV
	[pat_biv2_21]!="		
492	[pat_biv5ac_22]	c. Drug unit	radio
	Show the field ONLY if:		1 mg
	[pat_biv2_21]!="		2 mcg
493	[pat_biv5ad_22_other]	Drug Route: Other	text
494	[pat_biv5ad_22]	d. Drug route	radio
	Show the field ONLY if:		1 Intravenous
	[pat_biv2_21]!="		2 Intramuscular
			3 Subcutaneous
			4 Oral
			5 Intranasal fentanyl
			99 Other: {pat_biv5ad_22_other}
495	[pat_biv6_22]	6. Admission	radio
	Show the field ONLY if:		1 Yes
	[pat_biv2_21]!="		2 No
			Custom alignment: LV
496	[pat_biv1_23]	Visit 23	radio
	Show the field ONLY if:		10 Methodist University Hospital
	[pat_biv2_22]!="	1. ED visited	20 Duke University Hospital Emergency Department
			30 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40 UCSF Children's Oakland ED
			41 UCSF Children's Mission Bay ED
			42 UCSF Parnassus ED
			43 UCSF Zuckerberg San Francisco General Hospital ED
			44 UC Davis
			50 The Mount Sinai Hospital Emergency Department
			60 Barnes Hospital
			70 Augusta University Medical Center Emergency Department
			80 MUSC Emergency Department
			Custom alignment: LV Field Annotation: @HIDE-CHOICE-WHEN=[{"code": ["10"],"server_logic":"[record-dag-name]!='st_jude""}, {"code":["20"],"server_logic":"[record-dag-name]!='duke""},{"code":["30"],"server_logic":"[record-dag-name]!='chicago"],{"code": ["40","41","42","43","44"],"server_logic":"[record-dag-name]!='ucsf""},{"code":["50"],"server_logic":"[record-dag-name]!='mt_sinai""},{"code":["60"],"server_logic":" [record-dag-name]!='washu'"},{"code": ["70"],"server_logic":"[record-dag-name]!='augusta'"}, {"code":["80"],"server_logic":"[record-dag-name]!='musc""}]
497	[pat_biv2_23]	2. ED visit date	text (date_mdy)
	Show the field ONLY if: [pat_biv2_22]!="	mm-dd-yyyy	Custom alignment: LV

				1 .
2	498	[pat_biv3_23] Show the field ONLY if: [pat_biv2_22]!="	3. Reason of ED visit is VOE	radio 1 Yes 2 No Custom alignment: LV
4	499	[pat_biv4_23] Show the field ONLY if: [pat_biv2_22]!="	4. Time of arrival (24 hour clock with date format) mm-dd-yyyy hh:mm	text (datetime_mdy) Custom alignment: LV
ĩ	500	[pat_biv5_23] Show the field ONLY if: [pat_biv2_22]!="	5. Time of first opioid administration (24 hour clock with date format) mm-dd-yyyy hh:mm	text (datetime_mdy) Custom alignment: LV
Ĭ,	501	[pat_biv5aa_23] Show the field ONLY if: [pat_biv2_22]!="	5a. Pain management data, first dosae a. Drug name	radio 1 Morphine sulfate 2 Hydromorphone 3 Fentanyl 4 Other Custom alignment: RV
	502	[pat_biv5aaoth_23] Show the field ONLY if: [pat_biv5aa_23] = '4'	Other, please specify	text Custom alignment: RV
	503	[pat_biv5ab_23] Show the field ONLY if: [pat_biv2_22]!="	b. Drug dose	text (number, Min: 1, Max: 999) Custom alignment: RV
Ĩ	504	[pat_biv5ac_23] Show the field ONLY if: [pat_biv2_22]!="	c. Drug unit	radio 1 mg 2 mcg
í	505	[pat_biv5ad_23_other]	Drug Route: Other	text
ī	506	[pat_biv5ad_23] Show the field ONLY if: [pat_biv2_22]!="	d. Drug route	radio 1 Intravenous 2 Intramuscular 3 Subcutaneous 4 Oral 5 Intranasal fentanyl 99 Other: {pat_biv5ad_23_other}
	507	[pat_biv6_23] Show the field ONLY if: [pat_biv2_22]!="	6. Admission	radio 1 Yes 2 No Custom alignment: LV

508	[pat_biv1_24]	Visit 24	radi	0
	Show the field ONLY if:			Methodist University Hospital
	[pat_biv2_23]!="	1. ED visited	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			Field ["10 {"con nam dag- ["40 nam dag- [recon ["70 {"con	tom alignment: LV d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude""}, de":["20"],"server_logic":"[record-dag- ne]!='duke""},{"code":["30"],"server_logic":"[recordname]!='chicago""},{"code": ","41","42","43","44"],"server_logic":"[record-dag- ne]!='ucsf""},{"code":["50"],"server_logic":"[recordname]!='mt_sinai""},{"code":["60"],"server_logic":" ord-dag-name]!='washu""},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc'"}]
509	[pat_biv2_24] Show the field ONLY if: [pat_biv2_23]!="	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: LV
510		3. Reason of ED visit is VOE	radi	0
	Show the field ONLY if: [pat_biv2_23]!="			Yes
			Cust	tom alignment: LV
511	[pat_biv4_24] Show the field ONLY if: [pat_biv2_23]!="	4. Time of arrival (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
512		5. Time of first opioid administration (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
513	[pat_biv5aa_24]	5a. Pain management data, first dosae	radi	0
	Show the field ONLY if: [pat_biv2_23]!="	a. Drug name	2 3 4	Morphine sulfate Hydromorphone Fentanyl Other tom alignment: RV
514	[pat_biv5aaoth_24] Show the field ONLY if: [pat_biv5aa_24] = '4'	Other, please specify	text Cust	tom alignment: RV

515	[pat_biv5ab_24] Show the field ONLY if: [pat_biv2_23]!="	b. Drug dose	text (number, Min: 1, Max: 999) Custom alignment: RV
516		c. Drug unit	radio 1 mg 2 mcg
517	[pat_biv5ad_24_other]	Drug Route: Other	text
518	[pat_biv5ad_24]	d. Drug route	radio
	Show the field ONLY if:		1 Intravenous
	[pat_biv2_23]!="		2 Intramuscular
			3 Subcutaneous
			4 Oral
			5 Intranasal fentanyl
			99 Other: {pat_biv5ad_24_other}
519	[pat_biv6_24]	6. Admission	radio
	Show the field ONLY if:		1 Yes
	[pat_biv2_23]!="		2 No
520		VC 11 25	Custom alignment: LV
520	[pat_biv1_25]	Visit 25	radio 10 Methodist University Hospital
	Show the field ONLY if: [pat_biv2_24]!="	1. ED visited	20 Duke University Hospital Emergency Department
			30 UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40 UCSF Children's Oakland ED
			41 UCSF Children's Mission Bay ED
			42 UCSF Parnassus ED
			43 UCSF Zuckerberg San Francisco General Hospital ED
			44 UC Davis
			50 The Mount Sinai Hospital Emergency Department
			60 Barnes Hospital
			70 Augusta University Medical Center Emergency Department
			80 MUSC Emergency Department
			Custom alignment: LV Field Annotation: @HIDE-CHOICE-WHEN=[{"code": ["10"],"server_logic":"[record-dag-name]!='st_jude"], {"code":["20"],"server_logic":"[record-dag-name]!='duke"],{"code":["30"],"server_logic":"[record-dag-name]!='chicago"],{"code": ["40","41","42","43","44"],"server_logic":"[record-dag-name]!='ucsf"],{"code":["50"],"server_logic":"[record-dag-name]!='mt_sinai"],{"code":["60"],"server_logic":" [record-dag-name]!='washu"],{"code": ["70"],"server_logic":"[record-dag-name]!='augusta'"], {"code":["80"],"server_logic":"[record-dag-name]!='musc'"]]
521	[pat_biv2_25] Show the field ONLY if: [pat_biv2_24]!="	2. ED visit date mm-dd-yyyy	text (date_mdy) Custom alignment: LV

522	[pat_biv3_25] Show the field ONLY if: [pat_biv2_24]!="	3. Reason of ED visit is VOE	radio 1 Yes 2 No Custom alignment: LV
523	[pat_biv4_25] Show the field ONLY if: [pat_biv2_24]!="	4. Time of arrival (24 hour clock with date format) mm-dd-yyyy hh:mm	text (datetime_mdy) Custom alignment: LV
524	[pat_biv5_25] Show the field ONLY if: [pat_biv2_24]!="	5. Time of first opioid administration (24 hour clock with date format) mm-dd-yyyy hh:mm	text (datetime_mdy) Custom alignment: LV
525	[pat_biv5aa_25] Show the field ONLY if: [pat_biv2_24]!="	5a. Pain management data, first dosae a. Drug name	radio 1 Morphine sulfate 2 Hydromorphone 3 Fentanyl 4 Other Custom alignment: RV
526	[pat_biv5aaoth_25] Show the field ONLY if: [pat_biv5aa_25] = '4'	Other, please specify	text Custom alignment: RV
527	[pat_biv5ab_25] Show the field ONLY if: [pat_biv2_24]!="	b. Drug dose	text (number, Min: 1, Max: 999) Custom alignment: RV
528	[pat_biv5ac_25] Show the field ONLY if: [pat_biv2_24]!="	c. Drug unit	radio 1 mg 2 mcg
529	[pat_biv5ad_25_other]	Drug Route: Other	text
530	[pat_biv5ad_25] Show the field ONLY if: [pat_biv2_24]!="	d. Drug route	radio 1 Intravenous 2 Intramuscular 3 Subcutaneous 4 Oral 5 Intranasal fentanyl 99 Other: {pat_biv5ad_25_other}
531	[pat_biv6_25] Show the field ONLY if: [pat_biv2_24]!="	6. Admission	radio 1 Yes 2 No Custom alignment: LV
532	[pat_biv_total_voe] Show the field ONLY if: [pat_biv2_25]!="	Total number of ED VOE visits - after enrollment	text (number, Min: 25)
533	[pat_biv_total_hosp] Show the field ONLY if: [pat_biv2_25]!="	Total number of hospitalizations - after enrollment	text (number, Min: 25)
534	[pat_biv_dt]	Date of last abstraction	text (date_dmy)
535	<pre>[patient_information_12_mon th_follow_up_complete]</pre>	Section Header: Form Status Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete

536	[pat_biv1_extr]	Section Header:	radi	0
			10	Methodist University Hospital
		1. ED visited	20	Duke University Hospital Emergency Department
			30	UI Health Emergency Department (1740 W. Taylor in Chicago, Illinois 60612)
			40	UCSF Children's Oakland ED
			41	UCSF Children's Mission Bay ED
			42	UCSF Parnassus ED
			43	UCSF Zuckerberg San Francisco General Hospital ED
			44	UC Davis
			50	The Mount Sinai Hospital Emergency Department
			60	Barnes Hospital
			70	Augusta University Medical Center Emergency Department
			80	MUSC Emergency Department
			Field ["10 {"co nam dag: ["40 nam dag: [rec: ["70 {"co	tom alignment: LV d Annotation: @HIDE-CHOICE-WHEN=[{"code": "],"server_logic":"[record-dag-name]!='st_jude""}, de":["20"],"server_logic":"[record-dag- ne]!='duke"'},{"code":["30"],"server_logic":"[record- name]!='chicago"'},{"code": ","41","42","43","44"],"server_logic":"[record- name]!='mt_sinai""},{"code":["60"],"server_logic":" ord-dag-name]!='washu'"},{"code": "],"server_logic":"[record-dag-name]!='augusta'"}, de":["80"],"server_logic":"[record-dag- ne]!='musc'"}]
537	<pre>[pat_biv2_extr]</pre>	2. ED visit date mm-dd-yyyy		(date_mdy) tom alignment: LV
538	[pat_biv3_extr]	3. Reason of ED visit is VOE	2	Yes
539	[pat_biv4_extr]	4. Time of arrival (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
540	[pat_biv5_extr]	5. Time of first opioid administration (24 hour clock with date format) mm-dd-yyyy hh:mm		(datetime_mdy) tom alignment: LV
541	[pat_biv5aa_extr]	5a. Pain management data, first dose a. Drug name	3 4	o Morphine sulfate Hydromorphone Fentanyl Other tom alignment: RV
542	[pat_biv5aaoth_extr] Show the field ONLY if: [pat_biv5aa_extr] = '4'	Other, please specify	text	tom alignment: RV
543	[pat_biv5ab_extr]	b. Drug dose		(number, Min: 1, Max: 999) tom alignment: RV

	544	[pat_biv5ac_extr]	c. Drug unit	radio 1 mg 2 mcg
	545	<pre>[pat_biv5ad_extr_other]</pre>	Drug Route: Other	text
	546	[pat_biv5ad_extr]	d. Drug route	radio 1 Intravenous 2 Intramuscular 3 Subcutaneous 4 Oral 5 Intranasal fentanyl 99 Other: {pat_biv5ad_extr_other}
	547	[pat_biv6_extr]	6. Admission	radio 1 Yes 2 No Custom alignment: LV
	548	<pre>[patient_information_12_mon th_follow_up_additional_com plete]</pre>	Section Header: Form Status Complete?	dropdown O Incomplete 1 Unverified 2 Complete
Inst	rume	nt: Patient Protocol Devi	ation Form (patient_protocol_deviation_form)	
	549	[s1f4q01]	Section Header: This form is completed for any events performed outside the study guidelines outlined in the protocol. One protocol deviation form should be completed for each and every protocol deviation. 1. Date of protocol deviation:	text (date_mdy), Required Field Annotation: @FUTUREDATE= {"warn_msg":"Can't_be_future_date!"}
	550	[s1f4q02]	2. Type of protocol deviation: Choose one.	radio, Required 1 Visit Missed 2 Visit Out-of-Window 3 Visit/Assessment Incomplete (includes form not being complete) 4 Informed Consent 5 Eligibility 6 Study Procedure/Assessment 7 Other
	551	[s1f4q02a] Show the field ONLY if: [s1f4q02] =7	2a. If 'Other', please specify:	text, Required
	552	[s1f4q03]	3. Does the site's IRB require this deviation to be reported to them?	yesno, Required 1 Yes 0 No
	553	[s1f4q04]	4. Circumstances of the protocol deviation (if deviation is incomplete or missed assessments/visits then state visit/assessment for which the deviation occurred):	notes, Required
	554	<pre>[patient_protocol_deviation _form_complete]</pre>	Section Header: Form Status Complete?	dropdown O Incomplete 1 Unverified 2 Complete
Instrument: Patient Final Status Form (patient_final_status_form)				

555	[s1f5q01]	Section Header: Complete this form for all subjects enrolled in the study to document the final status of each person. 1. Date of final status (last time individual completed study assessment or provided study data):	text (date_mdy), Required Field Annotation: @FUTUREDATE= {"warn_msg":"Can't_be_future_date!"}	
556	[s1f5q02]	2. Final Status:	radio, Required 1 Completed study per protocol (i.e., all study	
			visits and study assessments were completed)	
			2 Ineligible (data will be destroyed)	
			3 Lost to follow-up	
			4 Withdrew from study	
			5 Death	
557	[s1f5q02a]	2a. If 'Ineligible' or 'Withdrew from study', provide reason:	text, Required	
	Show the field ONLY if: [s1f5q02] = 2 or [s1f5q02] =4			
558	58 [s1f5q02b]	2b. If 'Lost to follow-up', provide date determination was	text (date_mdy), Required	
	Show the field ONLY if: [s1f5q02] = 3	made to no longer attempt to contact:	Field Annotation: @FUTUREDATE= {"warn_msg":"Can't_be_future_date!"}	
559	[s1f5q02c]	death:	text (date_mdy), Required	
	Show the field ONLY if: [s1f5q02] = 5		Field Annotation: @FUTUREDATE= {"warn_msg":"Can't_be_future_date!"}	
560	[s1f5q03]	3. Additional Comments (if applicable):	notes	
561	<pre>[patient_final_status_form_ complete]</pre>	Section Header: Form Status Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete	