

<div style="border: 1px solid black; padding: 5px; width: fit-content;"> ✖ Logo </div>	<h2 style="margin: 0;">6-Minute Walk Test</h2>	<p>{visit.label}</p>
Date of Assessment: <input type="text" value="{SIXM:ASMTDA}"/> / <input type="text" value="{SIXM:ASMTMO}"/> / <input type="text" value="{SIXM:ASMTYR}"/> <div style="display: flex; justify-content: space-around; font-size: small;"> Day Month Year </div>		<p>ID: {ID}</p>

Date and time of last dose of study drug: / / :
 or (SIXM:LDNA) Not Applicable (Baseline Visit) Day Month Year Hr Min (24 hr clock)

Before Walk

1. Blood pressure (systolic/diastolic): / mmHg

2. Heart rate: beats/min

3. O₂ saturation: %, measured on: (SIXM:AOPRE) Air (SIXM:AOPRE) O₂
 If O₂ flow rate: L/m

4. Time walk started (24-hr clock) :
 Hr Min

After Walk

5. Blood pressure (systolic/diastolic): / mmHg

6. Heart rate immediately after: beats/min

7. O₂ saturation immediately after: %, measured on: (SIXM:APOST) Air (SIXM:APOST) O₂
 If O₂ flow rate: L/m

8. Distance walked: m

9. Did subject stop before 6-minute time limit? (SIXM:SUBSTOP) No (SIXM:SUBSTOP) Yes

10. Did subject use oxygen during the test? (SIXM:USEO2) No (SIXM:USEO2) Yes
 If Yes: Oxygen flow rate: L/min
 Was oxygen device carried or pushed? (SIXM:DEVICE) Carried (SIXM:DEVICE) Pushed

11. Borg dyspnea score: (SIXM:BRGPOST) 0=Nothing at all
 (SIXM:BRGPOST) 0.5=Very, very slight (just noticeable)
 (SIXM:BRGPOST) 1=Very slight
 (SIXM:BRGPOST) 2=Slight
 (SIXM:BRGPOST) 3=Moderate
 (SIXM:BRGPOST) 4=Somewhat severe
 (SIXM:BRGPOST) 5=severe

- (SIXM:BRGPOST) 6
- (SIXM:BRGPOST) 7=Very severe
- (SIXM:BRGPOST) 8
- (SIXM:BRGPOST) 9=Very, very severe (almost maximum)
- (SIXM:BRGPOST) 10=Maximum

12. NYHA/WHO classification:

- (SIXM:CLASS) Class I Patients with pulmonary hypertension but without resulting limitation of physical activity. Ordinary physical activity does not cause undue dyspnea or fatigue, chest pain, or near syncope.
- (SIXM:CLASS) Class II Patients with pulmonary hypertension resulting in slight limitation of physical activity. They are comfortable at rest. Ordinary physical activity causes undue dyspnea or fatigue, chest pain, or near syncope.
- (SIXM:CLASS) Class III Patients with pulmonary hypertension resulting in marked limitation of physical activity. They are comfortable at rest. Less than ordinary physical activity causes undue dyspnea or fatigue, chest pain, or near syncope.
- (SIXM:CLASS) Class IV Patients with pulmonary hypertension resulting in the inability to carry out any physical activity without symptoms. These patients manifest signs of right heart failure. Dyspnea and/or fatigue may be present at rest, and discomfort is increased by any physical activity.

Comments for page:

SIXM:COMM

Submit Query

Cancel

Form Completion Help

Print

